



U.S. Department of Transportation

National Highway Traffic Safety Administration

#### Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

\*\*\* \*\*\* \*\*\*



Case Vehicle (A): 2000 Ford Type: Focus, 3-door hatchback

Driver: 23-year-old male

CDC: 02-RPAW-3

Vehicle (B): 1999 Ford Type: E-350, passenger van Driver: 36-year-old male

CDC: 99-0000-0

#### **SITUATION**

(Slide 1) Case vehicle (A) was traveling south in the inside southbound lane of a straight section of a wet asphalt, three-lane roadway, (slide 2) with a speed limit of 72 kph (45 mph), and was approaching a controlled three-leg intersection, that is the on-ramp to a divided highway. The off-ramp from the divided highway is north of the on-ramp and separated from the on-ramp by a grass median. The intersection of the three-lane roadway and the off-ramp is controlled for traffic exiting the off-ramp. Vehicle (B) was traveling in the single northbound lane, of the three-lane roadway. As vehicle (B) entered the controlled intersection, the driver of case vehicle (A) made a left turn across the path of vehicle (B). Vehicle (B) struck the right side of case vehicle (A) with its front end. The impact caused case vehicle (A) to rotate clockwise, and to move away from vehicle (B). Case vehicle (A) came to rest in the median that separates the on and off ramps. After impact, vehicle (B) rotated clockwise slightly, and came to rest in the mouth of the intersection of the three-lane roadway and the off-ramp.

# GENERAL VEHICLE DAMAGE AND ESTIMATED CRASH SEVERITIES

(Slide 3) Damage to case vehicle (A) was severe. The direct-damage length was 246 cm and began 32 cm rearward of the right-front axle. The maximum crush above the sill was 42 cm and occurred 125 cm rearward of the right-front axle. The right wheelbase was reduced 4 cm, and the left wheelbase was unchanged.

Using the WinSMASH accident-reconstruction program and (slides 4, 5, 6, 7, 8, 9) c-values for case vehicle (A), the following impact severity was calculated:

		Calculated Velocity Change - kph (mph)		
Vehicle	Variable	Total	Longitudinal	Latitudinal
Case Vehicle (A)	EBS	32 (20)	-16 (-10)	-28 (-17)

## **DESCRIPTION OF DAMAGE TO CASE VEHICLE (A)**

#### **Exterior**

(Slides 10, 11, 12, 13, 14, 15, 16, 17) The upper and lower areas of the right A and B-pillars were deformed and the right roof siderail and the right side of the roof were buckled. This distortion of the greenhouse caused the windshield to crack, but there was no bond separation. Both right-side windows shattered resulting in occupant compartment integrity loss. The right-front door was displaced rearward, causing the latch to jam shut, but it was removed during extrication of the right-front passenger. The other doors remained closed and operational. The right rocker panel was damaged from direct contact by vehicle (B). The right fender and quarter panels were buckled.

#### **Interior**

(Slides 18, 19, 20, 21, 22, 23) This vehicle was equipped with both steering-wheel and passenger frontal-impact airbags, which deployed during the right-side impact. (Slides 24, 25, 26, 27, 28, 29) No damage was noted to the airbag module doors/flaps. (Slide 30) The steering-wheel rim was not deformed. (Slides 31, 32) The following intrusions were noted and measured:

Location	Component	Distance (cm)	Direction
right front	A-pillar	10	to left
right front	kickpanel	4	to left
right front	roof siderail	2	to left
right front	door (estimated)	39	to left
right front	B-pillar	21	to left
right rear	roof siderail	3	to left
right rear	interior side surface	29	to left

(Slides 33, 34, 35, 36, 37) The right A-pillar, windshield top moldings, right upper and middle instrument panel and the glove box area, the upper vent outlets, and the air conditioning ducts were damaged. The right-front door and door handhold, both right-side windows, the right-rear interior side panel and armrest, the right B-pillar, and the right roof and roof siderail were damaged.

## OCCUPANT INJURIES AND KINEMATICS

The 5-ft, 7-in, 150-lb, 23-year-old male driver (slides 38, 39) was wearing the available three-point belt, as indicated by the fact it was locked in an extended position, and (slide 40) the

steering-wheel airbag deployed. His seat was in the full-rear position. Prior to impact, he reportedly steered to the left. On impact, he moved to the right and forward relative to the vehicle interior, into the belt restraints and the airbag. He sustained contusions to the left cheek, possibly from the airbag flinging his right arm and hand into his face. He sustained a contusion to the left side of his chest from loading by the shoulder belt. He also sustained contusions to his right arm and hand, possibly from contact with his face, but possibly from contact with the right-front passenger. (Slides 41, 42) No contacts were noted on the left roof siderail or the driver knee bolster.

(Slides 43, 44) The 6-ft, 0-in, 165-lb, 24-year-old male right-front passenger was wearing the available three-point belt, as indicated by the latch plate being found in the receptacle and the cut shoulder belt. (Slide 45) The passenger frontal-impact airbag deployed. His seat was in the full-rear position. On impact, he moved to the right and forward relative to the vehicle interior, into the belt restraints and the airbag. He sustained lacerations to the right side of the scalp, and lacerations and a contusion to the right cheek, probably from head/face contact with the front of vehicle (B). He sustained a punctate hematoma of the pons and a contusion of the thalamus, and a cerebral contusion, probably from head acceleration associated with head contact with vehicle (B). (Slides 46, 47) He sustained contusions to the right shoulder and right arm from contact by the right door. He also sustained contusions to the right hip and right thigh, a closed fracture of the right iliac crest, and a comminuted fracture of the right pubic ramus from contact by the right door armrest. He sustained a comminuted fracture of the right distal fibula, probably from contact with the kickpanel. (Slides 48, 49, 50, 51, 52) Blood was noted on the right-front seat headrest, but it was undamaged. No occupant contact points were noted on the right-upper Apillar cover, right roof siderail, or in the glovebox door area.

The 6-ft, 1-in, 200-lb, right-rear passenger (slide 53) was <u>not</u> wearing the available three-point belt, as evidenced by the available three-point belt being jammed in a retracted position. (Slides 54, 55) He sustained a fracture to the right hand, probably from contact with the side surface of the vehicle interior.

The following tables and attached drawings (slides 56, 57, 58) summarize the injuries sustained by the driver, right-front and right rear passengers.

Occupant: Driver Restraints: 3-point belt worn; airbag deployed

Age: 23 years Stature: 170 cm (5 ft, 7 in)

Gender: Male

Mass: 68kg (150 lb)

			Injury Source		
Injury Description	A.I.S.	Definite	Probable	Possible	
Contusion, left cheek	1			Driver's right hand	
Contusion, left side of chest	1		Shoulder belt		
Contusion, right arm	1			Right-front passenger; driver's face	
Contusion, right hand	1			Right-front passenger; driver's face	
Maximum A.I.S. Level	1				
Injury Severity Score	1				

Occupant: Right front Restraints: 3-point belt worn; airbag deployed

Age: 24 years Stature: 183 cm (6 ft, 0 in)

Gender: Male

Mass: 75 kg (165 lb)

			Injury Source	
Injury Description	A.I.S.	Definite	Probable	Possible
Punctate hematoma of the pons	5		Front of vehicle (B)	
Contusion of the thalamus	5		Front of vehicle (B)	
Contusion of the cerebrum	3		Front of vehicle (B)	
Laceration, right side of the scalp	1		Front of vehicle (B)	
Laceration, right cheek	1		Front of vehicle (B)	
Contusion, right cheek	1		Front of vehicle (B)	
Contusion, right shoulder	1	Door		
Contusion, right arm	1	Door		
Contusion, right hip	1	Door armrest		
Contusion, right thigh	1	Door armrest		
Fracture, right iliac crest - closed	2	Door armrest		
Fracture, comminuted right pubic ramus	3	Door armrest		
Fracture, comminuted right distal fibula	2		Kickpanel	
M AIGI	_			
Maximum A.I.S. Level	<u>5</u>			
Injury Severity Score	<u>35</u>			

Occupant: Right rear
Restraints: 3-point belt <u>not</u> worn

Age: 20 years Stature: 185 cm (6 ft, 1 in)

Gender: Male

Mass: 91 kg (200 lb)

			Injury Source	
Injury Description	A.I.S.	Definite	Probable	Possible
Fracture, right hand	2		Interior side surface	
Maximum A.I.S. Level	<u>2</u>			
Injury Severity Score	<u>4</u>			

Duplicate columns 1-8 Module G I Format from the previous card. 9 10 1	0 2	GENERAL INFORMATION	GI-1
TIME DATE OF COLLISION  m m d d y y  HOUR OF COLLISION (24 HOUR CLOCK)  21  24		ENVIRONMENTAL CONDITIONS  CONSTRUCTION ZONE  (0) NO (1) YES (9) UNKNOWN  ROAD ALIGNMENT VERTICAL PLANE	<u>Q</u>
LOCATION STATE: STATE FIPS CODE  AREA  (1) URBAN (2) RURAL (9) UNKNOWN	25 26	(1) STRAIGHT (2) CURVE (3) T - SHAPED (4) Y - SHAPED (7) OTHER:	34
ENVIRONMENTAL CONDITIONS  LIMITED-ACCESS HIGHWAY  (0) NO  (1) YES (9) UNKNOWN  ROAD, TOTAL TRAFFIC LANES  (FOR CASE VEHICLE)  (1) 1-LANE  (2) 2-LANES (3) 3-LANES (4) 4 OR MORE LANES (5) DIVIDED, 4 OR MORE LANES (6) PARKING LOTHERY (7) OTHER	<u></u>	(9) UNKNOWN SURFACE COVERING  (10) DRY  (21) WATER - DAMP (22) WATER - WET (23) WATER - PUDDLED (29) WATER - AMOUNT UNKNOWN  (31) SNOW - LOOSE (32) SNOW - PACKED (39) SNOW - CONDITION UNKNOWN  (41) ICE (51) SLUSH (61) SPILLED GRAVEL (71) OTHER:	$\frac{2}{36}\frac{2}{37}$
(7) OTHER: OTI-TUNE (9) UNKNOWN  INTERSECTING RD, TOTAL LANES CHOOSE FROM ABOVE LIST, OR  (8) NOT APPLICABLE  TYPE OF ROAD SURFACE  (1) ASPHALT (2) CONCRETE (3) GRAVEL (4) MORE THAN ONE (CIRCLE EACH) (7) OTHER:	30	(99) UNKNOWN  VISIBILITY LIMITATION (FOR CASE VEHICLE)  (0) NONE (1) CLOUDY/DARK (2) FOG (3) SMOKE (4) WINDSHIELD CONDITION (5) GLARE (6) RAIN (7) OTHER: (8) ICE/SNOW (9) UNKNOWN  VISIBILITY OBSTRUCTION (FOR CASE VEHICLE)	<u>Ø</u> 38
(9) UNKNOWN  ROAD DEFECTS  (0) NO (1) YES (9) UNKNOWN	<u>\$</u>	(0) NONE (1) BUILDING (2) SIGN (3) VEGETATION (E.G. BUSHES, SHRUBS) (4) TREE (5) HILL OR CURVE IN ROAD (6) VEHICLE IN TRANSPORT (7) OTHER: (8) PARKED VEHICLE (9) UNKNOWN	39


GENERAL INFORMATION GI-2

		GENERAL INFORMATION	GI-3
CRASH DETAILS  CASE VEHICLE AND OBJECT  (0) NO (1) YES (9) UNKNOWN	<u>Q</u>	HIGHEST POLICE INJURY SEVERITY CODE IN CRASH (NOT JUST CASE VEHICLE)  (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING INJURY (3) A - INCAPACITATING INJURY	
CASE VEHICLE ROLLOVER  (0) NO ROLLOVER (1) YES, FIRST EVENT (2) YES, SUBSEQUENT EVENT (3) YES, SEQUENCE UNKNOWN (9) UNKNOWN	48	(4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO ACCIDENT (7) NON-FATAL INJURY SEVERITY UNKNOWN (9) UNKNOWN	3
CASE VEHICLE RAN OFF ROADWAY (BEFORE FIRST IMPACT)  (0) NO (1) YES (9) UNKNOWN	<u></u>	DRIVER IMPAIRMENT  DRIVER ALCOHOL INVOLVEMENT (CASE VEHICLE)  (0) NONE (1) YES (9) UNKNOWN/NOT REPORTED/ NO DRIVER	<u></u>
MOVING CASE VEHICLE AND CONTACTED MOVING VEHICLE  (0) NO (1) YES (9) UNKNOWN	50	DRIVER ALCOHOL BAC (CASE VEHICLE)  (80) NO TEST (90) CHEMICAL TESTS, NO RESULTS (95) AUTOPSY, NO RESULTS (99) UNKNOWN	8 (
CASE VEHICLE AND CONTACTED STOPPED VEHICLE  (0) NO (1) YES (9) UNKNOWN	<u></u>	WAS THERE MENTION OF DRIVER IMPAIRMENT FOR CASE VEHICLE?  (0) NO (1) YES (9) UNKNOWN	<u>Q</u>
STOPPED CASE VEHICLE AND CONTACTED VEHICLE  (0) NO (1) YES (9) UNKNOWN	<u></u>	LIST IMPAIRMENTS MENTION	  ED: 
TOTAL NUMBER OF VEHICLES CONTACTED BY CASE VEHICLE IN CRASH  (8) 8 OR MORE (9) UNKNOWN  ANY FIRE IN THIS CRASH (NOT JUST CASE VEHICLE)  (0) NO (1) YES (9) UNKNOWN	53 D 54	POST - CRASH DETAIL  MANNER CASE VEHICLE LEFT SCENE  (1) DRIVEN (2) TOWED DUE TO DAMAGE (3) TOWED, NOT DUE TO DAMAGE (4) TOWED, REASON UNKNOWN (9) UNKNOWN	2

ACCIDENT DESCRIPTION: (ase vehicle (A) was traveling in the inside south bound lane CASE VEHICLE (A): 2006 Ford Focus 3-door hatchbook of a three-lane roadway, and was approaching a controlled 3-leg intersection, that is OTHER VEHICLE (B): 1999 Ford E-350 passenger van the on-ramp to a divided highway. The off-ramp from the highway is north of the on-rampTHIRD VEHICLE (C):

and separated from the on-ramp by a grass median. The intersection of the 3-lane roadway and the on/off-ramps is controlled.

Vehicle (B) was traveling in the single north bound lane, approaching the intersection. As vehicle (B) entered the intersection, the driver of case vehicle(A) made a left turnacross the path of vehicle (B). Vehicle (B) struck the right side of case vehicle (A) NORTH came to rest in the median that separates the on and offramps. After impact, vehicle (B) rotated clackwise slightly, and came to rest in the mouth of the intersection of the 3-lane roadway and the off-ramp.



Duplicate columns 1-8 from the previous card.  Module O V Format 0 4 9 10 11 12	OTHER VEHICLE OV-1
MAKE: Ford  MODEL: E-350 Passenger van	CARGO: Unk.
VIN 13 F B S S 3 1 Z 2	2 X H
MANUFAC/BODY CODE $\frac{1}{30} = \frac{1}{3} \frac{1}{3} \frac{1}{3}$	VEHICLE TYPE
MAKE/MODEL CODE $3 \underline{100}_{38}$	PASSENGER VEHICLE (02) LARGE (03) LIMOUSINE (17) PICKUP CAR
MODEL YEAR	(20) UNKNOWN PASSENGER VEHICLE BODY (24) SUB-MINI (25) MINI (26) SUB-COMPACT
VEHICLE MASS (kg) 0 2 5 4 6	(27) COMPACT (28) INTERMEDIATE (29) FULL
IF SEPARATE REPORT WAS MADE, GIVE VEHICLE NUMBER	MULTIPURPOSE PASSENGER VEHICLE (14) SMALL UTILITY (WHEELBASE LESS THAN 107*, E.G. JEEP, BRONCO) (15) LARGE UTILITY (WHEELBASE MORE THAN 107*,
NUMBER OF OCCUPANTS (ENTER 9'S IF UNKNOWN)	E.G. PANEL TRUCK, SUBURBAN) (16) PICKUP TRUCK WITH CANOPY/SHELL COVER (17) PICKUP CAR WITH CANOPY/SHELL COVER (21) MOTOR HOME (22) PICKUP TRUCK WITH SLIDE-IN CAMPER
TRAVELING SPEED (km/h) 999	(23) PICKUP CAR WITH SLIDE-IN CAMPER (31) CHASSIS-MOUNTED CAMPER
(000) PARKED OR STOPPED (995) JUST STARTING UP (996) BACKING UP (997) SPEED NOT EXCESSIVE (BUT UNKNOWN) (998) SPEED EXCESSIVE (BUT UNKNOWN) (999) UNKNOWN	TRUCK (11) VAN (12) PICKUP TRUCK (13) UNKNOWN LIGHT TRUCK (15) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN) (16) PICKUP TRUCK WITH CANOPY/SHELL COVER (22) PICKUP TRUCK WITH SLIDE-IN CAMPER (30) UNKNOWN TRUCK TYPE (31) CHASSIS-MOUNTED CAMPER (33) DELIVERY VAN (WALK-IN)
HIGHEST POLICE INJURY SEVERITY CODE FOR THIS VEHICLE	(34) STRAIGHT TRUCK (35) TRUCK-TRACTOR (BOBTAIL) (36) CHASSIS-CAB (37) UNKNOWN HEAVY TRUCK
(0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING INJURY (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO ACCIDENT (7) NON-FATAL INJURY SEVERITY UNKNOWN (8) UNOCCUPIED VEHICLE (NOT APPLICABLE) (9) UNKNOWN	(38) TRACTOR & SEMI-TRAILER (SEMI) (39) TRUCK (OR SEMI) & FULL TRAILER(S)  BUS (40) UNKNOWN BUS TYPE (41) SCHOOL BUS (42) INTERCITY BUS (BETWEEN CITIES) (43) TRANSIT BUS (INTRACITY) (44) STREETCAR (ON TRACKS)  (68) TRAIN (CARS) (69) LOCOMOTIVE (ENGINE, SWITCHER) (99) UNKNOWN
	WHEELBASE (cm) (999) UNKNOWN  350 58 59 60

Duplicate columns 1-8 from the previous card.

Module O V Format 0 2 11 12

OTHER VEHICLE

OV-2

### **ORIGINAL SPECIFICATIONS**

Wheelbase

Front Overhang

$$\frac{\sqrt{2}}{2} \frac{7}{2} cm$$

**Curb Weight** 

Rear Overhang

Average Track Width

$$1\frac{1}{5}\frac{7}{3}\frac{4}{9}$$
 cm

Undeformed End Width (UEW)

$$\int_{28}^{25} \frac{8}{5} \int_{30}^{27} cm$$

Overall Length

$$\frac{5}{2} \frac{3}{3} \frac{8}{5} \text{ cm}$$

Engine Displacement

$$\sum_{31}^{28} \cdot \frac{4}{32}^{30}$$
 L

Overall Width (OAW)  $\frac{\lambda}{2}$   $\frac{D}{D}$ 

Engine: # of Cylinders

#### **VEHICLE DAMAGE**

Not Inspected vehicle repaired

### FRONTAL CRASH OVERLAP

Round up for .5. 98 = 98% or more Enter % overlap or "99" for missing or N/A. Direct Damage Length (DDL)

9 9 9 cm

Front-End Overlap (Percent) = DDL

99%

Vehicle Overlap (Percent) = <u>DDL + 1/2 (OAW - UEW)</u> OAW  $\frac{9}{40}\frac{9}{41}$ %

Duplicate columns 1-8 from the previous card.  Module V D Format 0 4 11 12	VEHICLE DESCRIPTION	VD-1
MAKE: Ford  MODEL: Focus ZX3	CARGO: None	
VIN 3 PAPP3L3	34 Y R	29
MANUFAC/BODY CODE $\frac{1}{30} 2 \frac{1}{2} \frac{2}{34}$	STOLEN VEHICLE	25
MAKE/MODEL CODE $\Psi 228$	(0) NO (1) YES (8) NOT COLLECTED	8 62
MODEL YEAR $\frac{2}{3}$ $\frac{0}{1}$ $\frac{0}{4^2}$	(9) UNKNOWN	
VEHICLE MASS (kg) $\bigoplus_{43} O \boxed{1} \boxed{1} \bigcirc \bigcirc_{48}$	BODY STRUCTURE	7
ODOMETER (km) (ENTER 9'S IF UNKNOWN) (ENTER 8'S IF ELECTRONIC)  49  8 8 8 8 8 8 5 8 5 6 5 6 6 6 6 6 6 6 6 6	(1) BODY & FRAME (2) UNITIZED (3) INTEGRAL-STUB FRAME (4) BODY & PLATFORM FRAME	63
NUMBER OF OCCUPANTS (ENTER 9'S IF UNKNOWN)  03 56	(E.G. VW BUG) (5) PARTIALLY UNITIZED (7) OTHER:	
TRAVELING SPEED (km/h) $99 \frac{9}{59}$	(9) UNKNOWN	
(000) PARKED OR STOPPED (995) JUST STARTING UP (996) BACKING UP	TRANSMISSION (0) NONE	1
(997) SPEED NOT EXCESSIVE (BUT UNKNOWN) (998) SPEED EXCESSIVE (BUT UNKNOWN) (999) UNKNOWN	(1) AUTOMATIC (2) MANUAL (9) UNKNOWN	64
VEHICLE TYPE	LOCATION OF TRANSMISSION	
PASSENGER VEHICLE (11) 2-DOOR HARDTOP (NO UPPER B-PILLAR) (12) 2-DOOR SEDAN OR COUPE  60 61	SELECTOR LEVER	2
(ANY UPPER B-PILLAR) (13) 4-DOOR HARDTOP (14) 4-DOOR SEDAN	(2) CONSOLE (3) COLUMN (7) OTHER:	65
(15) STATION WAGON (16) CONVERTIBLE (18) OTHER PASS. VEH. : (19) PASSENGER VEHICLE, TYPE UNKNOWN	(9) UNKNOWN	
MULTIPURPOSE PASSENGER VEHICLE (21) SMALL UTILITY (F.G. JEEP, SCOUT, BRONCO)	STEERING	
(22) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN) (23) VAN, SIZE UNKNOWN (24) VAN, SMALL (MINI) (25) VAN, LARGE (29) MPV, TYPE UNKNOWN (30) MOTOR HOME	(1) POWER (2) MANUAL (9) UNKNOWN	66
TRUCK (31) PICKUP TRUCK, UNKNOWN (32) PICKUP TRUCK SMALL (2011)	BRAKES	7
(32) PICKUP TRUCK, SMALL (DOWNSIZED) (33) PICKUP TRUCK, LARGE (99) UNKNOWN	(1) POWER (2) MANUAL (9) UNKNOWN	67

		VEHICLE DESCRIPTION VD-2
TYPE OF BRAKES  (1) DRUM, ALL WHEELS (2) DISC, FRONT WHEELS (3) DISC, ALL WHEELS (9) UNKNOWN	<u>2</u>	WHEELBASE <i>(cm)</i> (999) Unknown
BRAKE ANTI-LOCK DEVICE  (0) NONE INSTALLED (1) TWO-WHEEL (2) FOUR-WHEEL (7) EQUIPPED, UNKNOWN WHEELS (9) UNKNOWN  AIR CONDITIONING IN VEHICLE  (0) NO (1) YES (8) NOT COLLECTED	<u>8</u>	PLASTIC ANTI-LACERATIVE INNER LAYER GLASS EQUIPPED  (0) NONE (1) WINDSHIELD (2) WINDSHIELD AND SIDE (7) OTHER (9) UNKNOWN
(9) UNKNOWN  TYPE OF DRIVE  (1) REAR WHEEL (2) FRONT WHEEL (3) FOUR WHEEL (4) ALL WHEEL DRIVE (9) UNKNOWN  DUAL REAR WHEELS  (0) NO (1) YES (9) UNKNOWN  ORIGINAL TYPE OF RESTRAINT SYSTEM  (1) ACTIVE BELT (2) PASSIVE BELT (3) AIRBAG (4) KNEE BOLSTERS (7) OTHER: (8) NOT APPLICABLE (NOT EQUIPPED)	<b>2</b> 71 <b>3</b> 73	FIELD INVESTIGATOR INSTRUCTIONS:  1. INDICATE CRUSHED AREAS BY OUT- LINING NEW PERIMETER OF VEHICLE AND SHADING THE DAMAGED AREAS ON THE LARGE SKETCH ON PAGE VD-3. USE AS MANY SKETCHES AS NECESSARY TO COMPLETELY DESCRIBE THE DAMAGE.  2. ENTER THE DIMENSIONS ON THE SKETCH(ES) MEASURED TO THE POINT OF MAXIMUM PENETRATION BY THE OBJECT(S) CONTACTED. USE THE EXAMPLES BELOW AS A GUIDE.  3. ENTER THE THREE DIMENSIONS TO THE CENTER OF THE WHEELS (WHEELBASE, FRONT AND REAR OVERHANGS) ON BOTH SIDES OF THE CAR.  4. ADD OTHER DIMENSIONS AS NECESSARY TO COMPLETELY DESCRIBE THE DAMAGE.
(9) UNKNOWN  EQUIPPED WITH ROLL BAR  (0) NO (1) YES (9) UNKNOWN  TYPE OF ROOF  (0) NONE (1) SOLID (2) T-TOP CLOSED (3) T-TOP OPEN (4) SUN ROOF CLOSED (5) SUN ROOF OPEN (6) CONVERTIBLE CLOSED (7) CONVERTIBLE OPEN (8) OTHER: (9) UNKNOWN	<u>√</u> 74	FRONT OR REAR  ROOF (REFERENCE TO TOP OF DOOR SILL OR WINDOW SILL)

Duplicate columns 1-8 from the previous card. Module V D Format 0 2 9 10 11 12

VEHICLE DESCRIPTION

VD-3

### **ORIGINAL SPECIFICATIONS**

Wheelbase **Curb Weight** 

Average Track Width Overall Length

Overall Width (OAW)

Front Overhang


Rear Overhang

Undeformed End Width (UEW)

**Engine Displacement** 

Engine: # of Cylinders

### **VEHICLE DAMAGE**



#### FRONTAL CRASH OVERLAP

Round up for .5. 98 = 98% or more Enter % overlap or "99" for missing or N/A. Direct Damage Length (DDL)  $\frac{9}{35} = \frac{9}{37}$  cm

Front-End Overlap (Percent) = DDL

Vehicle Overlap (Percent) = DDL + 1/2 (OAW - UEW)

	A_Format_0 2	DAMAGE DA-1
PRIMARY	CASE VEHICLE PRIMARY CDC	CONTACTED VEHICLE ASSOCIATED CDC
EVENT NUMBER	13	_
IMPACT SPEED (km/h)	$\frac{9}{14}\frac{9}{15}\frac{9}{16}$	$\frac{9}{35} \frac{9}{36} \frac{9}{37}$
ESTIMATED BY	<u></u>	38
CRUSH (cm)	<u> </u>	$9^{\circ}_{39}$
CDC #1	<u>Q</u> 2.RPAW.3	99.00000.0
CDC #2	9 8 . 20 0 0 0 . 34	98.00000.0
	A_Format_0_3_0 11 12	
SECONDARY	CASE VEHICLE SECONDARY CDC	CONTACTED VEHICLE ASSOCIATED CDC
EVENT NUMBER	_8	
IMPACT SPEED (km/h)	14 15 16	35 36 37
ESTIMATED BY	<u> </u>	
CRUSH (cm)	18 19 20	39 40 41
CDC #1	21	42
CDC #2	28 34	49 55
Codes		
EVENT NUMBER	IMPACT SPEED ESTIMATOR	CRUSH
(8) NOT APPLICABLI (9) UNKNOWN	(2) DRIVER	(998) NOT APPLICABLE (NO VEHICLE/DAMAGE)
IMPACT SPEED	(3) POLICE (4) "CRASH" PROGRAM (5) OTHER COMPUTER PROGRAM	(999) UNKNOWN CDC
(998) NOT APPLICAE (999) UNKNOWN	SLE SPECIFY:	(9800000) NOT APPLICABLE (9900000) UNKNOWN

Duplicate columns 1-8
from the previous card.

DAMAGE

DA-2

# MAXIMUM SHEET METAL CRUSH

(cm) (999) UNKNOWN

FRONT 
$$\underline{Q}$$
  $\underline{Q}$ 

RIGHT SIDE

REAR 
$$\underline{Q}$$
  $\underline{Q}$ 

LEFT SIDE

ROOF 
$$Q Q Q Q$$

**OTHER** 

# CHRONOLOGICAL SEQUENCE OF DAMAGE/INJURY PRODUCING CRASH EVENTS FOR CASE VEHICLE

NOTE: IF CHRONOLOGICAL ORDER IS UNKNOWN, EVENT ORDER IS OPTIONAL.

DO YOU KNOW THIS TABLE TO BE IN CHRONOLOGICAL ORDER?

(0) NO (1) YES

EVENT NUMBER	IMPACT LOCATION  (1) ON ROADWAY (2) SHOULDER/MEDIAN/GORE (3) ON ROADSIDE (4) OUTSIDE ROADSIDE RIGHT-OF-WAY (5) OTHER (6) OFF ROADWAY, LOC. UNK. (9) UNKNOWN	IMPACT CONFIGURATION FOR CODES, SEE TABLE ON PAGE DA-3.	OBJECT/VEHICLE CONTACTED FOR CODES, SEE TABLE ON PAGE DA-4.
# 1	32	41	1 1 36
#2	37	39	<u> </u>
#3	42	44	<u>-</u>
#4	47	49	51
#5	52	<del></del>	<del></del> 56
#6	57	59	
#7	62	64	
	1		

#### **CODES FOR** IMPACT CONFIGURATION

#### **FRONT OF CASE VEHICLE**

- (11) AND FRONT OF CONTACTED VEHICLE
- (13) AND SIDE OF CONTACTED VEHICLE
- (14) AND REAR OF CONTACTED VEHICLE
- (16) ENDSWIPED BY CONTACTED VEHICLE
- (17) AND OBJECT
- (19) AND UNKNOWN OTHER VEHICLE CONFIGURATION

#### **LEFT SIDE OF CASE VEHICLE**

- (21) AND <u>FRONT</u> OF CONTACTED VEHICLE (TYPE T) (22) AND <u>FRONT</u> OF CONTACTED VEHICLE (TYPE L)
- (23) AND SIDE OF CONTACTED VEHICLE (NOT SIDÉSWIPE)
- (24) AND REAR OF CONTACTED VEHICLE (TYPE T)
- (25) AND REAR OF CONTACTED VEHICLE (TYPE L)
- (26) SIDESWIPED BY CONTACTED VEHICLE
- (27) AND OBJECT
- (29) AND UNKNOWN OTHER VEHICLE CONFIGURATION

#### **REAR OF CASE VEHICLE**

- (31) AND FRONT OF CONTACTED VEHICLE
- (33) AND SIDE OF CONTACTED VEHICLE
- (34) AND REAR OF CONTACTED VEHICLE
- (36) ENDSWIPED BY CONTACTED VEHICLE
- (37) AND OBJECT
- (39) AND UNKNOWN OTHER VEHICLE CONFIGURATION

#### RIGHT SIDE OF CASE VEHICLE

- (41) AND FRONT OF CONTACTED VEHICLE (TYPE T)
- (42) AND FRONT OF CONTACTED VEHICLE (TYPE L)
- (43) AND SIDE OF CONTACTED VEHICLE (NOT SIDESWIPE)
- (44) AND REAR OF CONTACTED VEHICLE (TYPE T)
- (45) AND REAR OF CONTACTED VEHICLE (TYPE L)
- (46) SIDESWIPED BY CONTACTED VEHICLE
- (47) AND OBJECT
- (49) AND UNKNOWN OTHER VEHICLE CONFIGURATION

#### **OTHER**

- (57) VEHICLE TO OBJECT
- (58) VEHICLE TO VEHICLE
- (59) VEHICLE TO VEHICLE, CONFIGURATION UNKNOWN

#### **ROLLOVER**

- (61) LESS THAN 360°
- (62) 360° OR MORE
- (69) DETAILS UNKNOWN

#### UNKNOWN

(99) IMPACT TYPE UNKNOWN

### CODES FOR VEHICLE/OBJECT CONTACTED

#### **VEHICLE/OBJECT GROUPS**

- NO OBJECT
- (01) (39) PASSENGER VEHICLE & TRUCK
- (40) (69) OTHER VEHICLE
- (70) (76) PEDESTRIAN & ON-ROADWAY OBJECT
- (77) (97) OFF-ROADWAY OBJECT
- OTHER (DESCRIBE)
- UNKNOWN (99)

#### **PASSENGER VEHICLE**

- (02) LARGE
- (03) LIMOUSINE
- (17) PICKUP
- (20) UNKNOWN PASSENGER VEHICLE BODY
- (24) SUB-MINI
- (25) MINI
- (26) SUB-COMPACT
- (27) COMPACT
- (28) INTERMEDIATE
- (29) FULL

#### SIZE

#### **WHEELBASE**

SUB-MINI	< 2286 mm ( < 90")
MIŅI	2286 - 2412 mm (90" - 94,9")
SUB-COMPACT	2413 - 2539 mm (95" - 99.9")
COMPACT	2540 - 2666 mm (100" - 104.9")
INTERMEDIATE	2667 - 2793 mm (105" - 109.9")
FULL	2794 - 2920 mm (110" - 114.9")
LARGE	2921 - 3174 mm (115" - 124.9")
LIMOUSINE	> 3175 mm (> 125")

#### MULTIPURPOSE PASSENGER VEHICLE

- (11) SMALL VAN (MINI)
- (12) PICKUP
- (14) SMALL UTILITY (WHEELBASE LESS THAN 107", E.G. JEEP, BRONCO)
- (15) LARGE UTILITY (WHEELBASE MORE THAN 107", E.G. PANEL TRUCK, SUBURBAN)
- (16) PICKUP TRUCK WITH CANOPY/SHELL COVER
- (17) PICKUP CAR WITH CANOPY/SHELL COVER
- (21) MOTOR HOME
- (22) PICKUP TRUCK WITH SLIDE-IN CAMPER
- (23) PICKUP CAR WITH SLIDE-IN CAMPER
- (31) CHASSIS-MOUNTED CAMPER

#### TRUCK

- (11) SMALL VAN (E.G. ECONOLINE)
- (12) PICKUP TRUCK
- (13) UNKNOWN LIGHT TRUCK
- (15) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN)
- (16) PICKUP TRUCK WITH CANOPY/SHELL COVER
- (22) PICKUP TRUCK WITH SLIDE-IN CAMPER
- (30) UNKNOWN TRUCK TYPE
- (31) CHASSIS-MOUNTED CAMPER
- (33) DELIVERY VAN (WALK-IN) (34) STRAIGHT TRUCK
- (35) TRUCK-TRACTOR (BOBTAIL)
- (36) CHASSIS-CAB
- (37) UNKNOWN HEAVY TRUCK
- (38) TRACTOR & SEMI-TRAILER (SEMI)
- (39) TRUCK (OR SEMI) & FULL TRAILER(S)

#### Bus

- (40) UNKNOWN BUS TYPE
- (41) SCHOOL BUS
- (42) INTERCITY BUS (BETWEEN CITIES)
- (43) TRANSIT BUS (INTRACITY)
- (44) STREETCAR (ON TRACKS)

#### **MOTORCYCLE**

- (50) UNKNOWN MOTORCYCLE TYPE
- (51) 1 75 cc (52) 76 125 cc
- (53) 126 250 cc
- (54) 251 500 cc
- (55) 501 750 cc (56) 751 cc +
- (57) 3-WHEELS (OR WITH SIDECAR)

### SPECIAL PURPOSE VEHICLE

- (60) UNKNOWN/OTHER SPECIAL VEHICLE (DESCRIBE)
- (61) SNOWMOBILE
- (62) ATV (ALL TERRAIN VEHICLE)
- (63) AMPHIBIOUS VEHICLE
- (64) FARM VEHICLE
- (65) CONSTRUCTION VEHICLE
- (66) TRAILER, PRIVATE (CAMPER)
- (67) TRAILER, COMMERCIAL (CARGO)
- (68) TRAIN (CARS)
- (69) LOCOMOTIVE (ENGINE, SWITCHER)

#### **OBJECT**

- (70) PEDESTRIAN
- (71) BICYCLIST, OTHER PEDALCYCLIST
- (72) PEDESTRIAN CONVEYANCE (E.G. PERSON RIDING ANIMAL, CART)
- (73) LARGE ANIMAL
- (74) FALLEN OBJECT (E.G. OBJECT DISLODGED FROM OTHER VEHICLE, FALLEN TREE, ROCKS)
- (75) ROCKS
- (76) CONSTRUCTION EQUIPMENT (EXCLUDING (65))
- (77) SIGN POST, UTILITY POLE, TREE
- (78) DITCH
- (79) EMBANKMENT, SNOWBANK, RR TRACKS RR X
- (80) GROUND (ROLLOVER ONLY)
- (81) CURB (DAMAGE PRODUCING IMPACTS ONLY)
- (82) CULVERT (83) FENCE
- (84) HYDRANT, SHORT POST, STUMP
- (85) SMALL POST/TREE, RURAL MAIL BOX, MILE MARKER, DELINEATOR
- (86) BUILDING
- (87) PIER, PILLAR, BRIDGE SUPPORT
- (88) ABUTMENT, RETAINING WALL
- (89) BRIDGE RAIL

- (99) GUARD RAIL, LEADING SECTION
  (91) GUARD RAIL, MIDDLE OR UNKNOWN
  (92) GUARD RAIL, TRAILING SECTION
  (93) GUARD POST (TIMBER, METAL, CONCRETE)
  (94) CABLE, FENCE BARRIER
- (95) CONCRETE BARRIER (MEDIAN)
- (96) IMPACT ATTENUATOR
- (97) BREAKAWAY FEATURES

CRASH RECONSTRUCTION CR-1 Module C R Format 0 1 Duplicate columns 1-8 from the previous card. 10 11 for  $\Delta V$ CASE VEHICLE PRIMARY IMPACT CASE VEHICLE SECONDARY IMPACT CONTACTED **CASE** CONTACTED **VEHICLE VEHICLE VEHICLE VEHICLE EVENT NUMBER** 13 47  $\Delta V$  (km/h) **TOTAL** 15 16 49 50 66 67 68 LONGITUDINAL\* 20 54 LATERAL\* 58 \*NOTE: THESE AV COMPONENTS MUST INCLUDE SIGN. EXAMPLES: 10 km/h = ± Q 1 Q -7 km/h = <u>- Q Q Z</u> ENERGY DISSIPATED BY CRUSH (kj) a 62 RECONSTRUCTION (01) RECONSTRUCTED, UNKNOWN CONFIDENCE LEVEL (21) RECONSTRUCTED, LOW CONFIDENCE LEVEL (22) RECONSTRUCTED, MODERATE CONFIDENCE LEVEL (23) RECONSTRUCTED, HIGH CONFIDENCE LEVEL NOT RECONSTRUCTED BECAUSE

# 72 80 (02) INSUFFICIENT DATA (03) EXCESSIVE UNDERRIDE/ **OVERRIDE** (04) ROLLOVER (05) VAULTING (06) OTHER TRAVEL IN MORE THAN ONE PLANE (07) NON-HORIZONTAL FORCE (08) SIDESWIPE-TYPE DAMAGE (09) YIELDING OBJECT (10) OTHER: (11) AT LEAST ONE VEHICLE **BEYOND SCOPE** (12) OTHER VEHICLE NOT INSPECTED MODE (1) CDC ONLY (2) CDC & DETAILED DAMAGE (3) TRAJECTORY & CDC 65 (4) TRAJECTORY & CDC & **DETAILED DAMAGE** (5) NOT RECONSTRUCTED COMPUTER PROGRAM SPECIFY:\_

	R Format 0 2 0 11 12		H RECONSTRUC r EBS	TION CR-2
	CASE VEHICLE F	PRIMARY IMPACT	CASE VEHICLE SE	CONDARY IMPACT
	CASE VEHICLE	CONTACTED VEHICLE	CASE VEHICLE	CONTACTED VEHICLE
EVENT NUMBER	13		47	
EBS (km/h) TOTAL	<u>Q32</u>	$\frac{999}{3233334}$	48 49 50	
LONGITUDINAL*	<u>-016</u>	$\frac{99999}{35}$	51 54	69 72
LATERAL* *NOTE: THESE EBS COMPONENTS	<u>_21</u> <u>@2 8</u>	$\frac{9}{39}$ $\frac{9}{42}$ $\frac{9}{42}$	55 58	73 — 76
MUST INCLUDE SIGN.  EXAMPLES: $10 \text{ km/h} = \pm 212$ $-7 \text{ km/h} = \pm 227$				
ENERGY DISSIPATED BY CRUSH (kj)	<u>Ø</u> <u>Ø</u> 7 <u>5</u>	9999	<del></del>	77 - 80
RECONSTRUCTION	74819			•
(01) RECONSTRUCTED, UNKNOWN CONFIDENCE LEVEL	$\frac{2}{29}\frac{2}{30}$		63 64	
(21) RECONSTRUCTED, LOW CONFIDENCE LEVEL (22) RECONSTRUCTED, MODERATE CONFIDENCE LEVEL (23) RECONSTRUCTED, HIGH CONFIDENCE LEVEL			33 34	
NOT RECONSTRUCTED BECAUSE				
(02) INSUFFICIENT DATA (03) EXCESSIVE UNDERRIDE/ OVERRIDE (04) ROLLOVER (05) VAULTING (06) OTHER TRAVEL IN MORE THAN ONE PLANE (07) NON-HORIZONTAL FORCE (08) SIDESWIPE-TYPE DAMAGE (09) YIELDING OBJECT (10) OTHER: (11) AT LEAST ONE VEHICLE BEYOND SCOPE (12) OTHER VEHICLE NOT INSPECTED				·
MODE	_			
(1) CDC ONLY (2) CDC & DETAILED DAMAGE (3) TRAJECTORY & CDC (4) TRAJECTORY & CDC & DETAILED DAMAGE (5) NOT RECONSTRUCTED	$\frac{2}{31}$		65	·
COMPUTER PROGRAM SPECIFY: WINSMAS h				

Duplicate columns 1-8 from the previous card.

Module C R Format 0 3

CRASH RECONSTRUCTION

CR-3

NOTES:

- 1. ENTER CRASH RECONSTRUCTION DAMAGE MEASUREMENTS IN CENTIMETERS.
- 2. MEASURE C  $_1$  TO C  $_6$  FROM DRIVER TO PASSENGER SIDE IN FRONT OR REAR IMPACTS, REAR TO FRONT IN SIDE IMPACTS.

CASE VEHICLE

**LOCATOR** 

- 3. D IS POSITIVE IF MEASURED TO A POINT FORWARD OF OR TO THE RIGHT OF THE CG.
- 4. USE THE CENTER OF THE WHEELBASE AS THE CG.


Locate the end of the damage with respect to the vehicle longitudinal center line, or an undamaged axle for side impacts.


Specific Impact No.	Location of Direct Damage	Location of Field L
	Begins-2 from front axle	Begins-15 from front axcle



#### PLANE:

- (1) Bumper
- (2) Above Bumper
- (3) Sill
- (4) Above Sill
- (5) Other \_\_\_ (9) Unknown





DL MA

UDL WIA

CRUSH PROFILE IN CENTIMETERS

NOTE: Each line in the table below is a separate record (card).

Duplicate

Specific	Plane	Din at		separate rec	ora (cara).	, Du	plicate col	umns 1 - 1	2 for each	complete	d line.
Impact Number	of Impact C-Measur.	Length (DDL)	Damage Max Crush	Field	C <sub>1</sub>	C <sub>2</sub>	C3	C <sub>4</sub>	C <sub>5</sub>	C <sub>6</sub>	±D
	Above Sill	246	42	254	0	23	40	29	17	Ø	-43
1	4	246	Ø42	254	000	023	<b>040</b>	029	のリフ	000	-043
13	14	15 16 17	18 19 20	21 22 23	24 25 26	27 28 29	30 31 32	33 34 35	36 37 38	39 40 41	42 43 44 4
							·				
				· · · · · · · · · · · · · · · · · · ·							
2								!			

Duplicate columns 1-8 from the previous card.

Module <u>C</u> <u>R</u> Format <u>0</u> <u>4</u>

CRASH RECONSTRUCTION

CR-4

NOTES:

- 1. ENTER CRASH RECONSTRUCTION DAMAGE MEASUREMENTS IN CENTIMETERS.
- 2. MEASURE C  $_{\rm 1}$  TO C  $_{\rm 6}$  FROM DRIVER TO PASSENGER SIDE IN FRONT OR REAR IMPACTS, REAR TO FRONT IN SIDE IMPACTS.

OTHER VEHICLE

**LOCATOR** 

- 3. D IS POSITIVE IF MEASURED TO A POINT FORWARD OF OR TO THE RIGHT OF THE CG.
- 4. USE THE CENTER OF THE WHEELBASE AS THE CG.


Locate the end of the damage with respect to the vehicle longitudinal center line, or an undamaged axle for side impacts.

Specific Impact No.	Location of Direct Damage	Location of Field L

NOT INSPECTED (repaired)

PLANE:

- (1) Bumper
- (2) Above Bumper
- (3) Sill
- (4) Above Sill
- (5) Other \_\_\_
- (9) Unknown



DL \_\_\_\_\_

UDL \_\_\_\_

CRUSH PROFILE IN CENTIMETERS

	NOTE: Each	line in the tab	le below is a	separate rec	ord (card).	Du	plicate colu	umns 1 - 1	2 for each	complete	d line.
Specific Impact Number	Plane of Impact C-Measur.	Direct Length (DDL)	Damage Max Crush	Field L	C <sub>1</sub>	C <sub>2</sub>	C <sub>3</sub>	C <sub>4</sub>	C <sub>5</sub>	C <sub>6</sub>	±D
1											
13	14	15 16 17	18 19 20	21 22 23	24 25 26	27 28 29	30 31 32	33 34 35	36 37 38	39 40 41	42 43 44 45
				<u> </u>							
2	<u> </u>										

Duplicate columns 1-8 Module W T from the previous card.		0 1 12	WHEELS AND TIRES WT-1
WHEELSDAMAGED  (0) NO (1) YES (9) UNKNOWN	LF RF RR LR		SIZE (NOT DOT CODE. IF UNKNOWN, USE 9'S)  LF P 19 56 OR 15  RF P 19 56 OR 15  LR P 19 56 OR 15
TIRE TREAD TYPE  (1) REGULAR (2) SNOW (3) SLICKS (4) ALL WEATHER (MS) (7) OTHER: (9) UNKNOWN	LF RF RR LR	4 7 7 7 4 2	LR P 1915 6 W K 13
CARCASS CONSTRUCTION  (1) BIAS (2) BELTED BIAS (3) RADIAL (4) ELLIPTICAL (5) HI PRESSURE SPARE (6) SPACE SAVER SPARE (7) OTHER: (9) UNKNOWN	LF RF RR LR	3 n n n n n n n n n n n n n n n n n n n	
IF VEHICLE IS EQUIPPED WITH DUAL WHEELS, COMPLETE FOR OUTER WHEELS AND MAKE NOTES ON INNER WHEELS. NOTES:			

--

Duplicate columns 1-8 Module F T Format 0 from the previous card.	1 12	FUEL AND FUEL TANKS	FT-1
TYPE OF PROPULSIVE FUEL  (1) GASOLINE (2) DIESEL OIL (3) LPG (4) ELECTRIC (7) OTHER: (9) UNKNOWN	13	AUXILIARY TANK TYPE  (1) OEM TANK (2) AFTER MARKET TANK (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN	21
MAIN TANK LOCATION	122	AUXILIARY TANK LOCATION	888
MAIN FILLER CAP LOCATION	133	AUXILIARY FILLER CAP LOCATION	<u>888</u>
MAIN TANK MATERIAL	3 20	AUXILIARY TANK MATERIAL	8 28

#### TANK AND FILLER CAP LOCATION CODES

#### FIRST DIGIT (LONGITUDINAL)

- (1) BEHIND KICK-UP
- (2) IN KICK-UP
- (3) BETWEEN KICK-UP & COWL
- (4) FORWARD OF COWL
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

### SECOND DIGIT (LATERAL)

- (1) LEFT OF FRAME
- (2) WITHIN FRAME OR CENTERED
- (3) RIGHT OF FRAME
- (4) DUAL, RIGHT & LEFT TANKS
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

### THIRD DIGIT (VERTICAL)

- (1) BELOW FRAME
- (2) WITHIN FRAME OR CENTERED
- (3) ABOVE FRAME
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

### TANK MATERIAL CODES

- (1) STEEL
- (2) ALUMINUM
- (3) PLASTIC
- (7) OTHER
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

Duplicate columns 1-8 from the previous card.

Module <u>F</u> <u>L</u> Format <u>0</u> <u>1</u> 12

FUEL LEAKAGE

FL-1

### DID FUEL LEAKAGE RESULT FROM A CRASH EVENT

(0) NO KNOWN LEAKAGE SKIP PAGE.

(1) YES COMPLETE PAGE.

<u>D</u>

	1	11	111	IV	V	
LEAK NUMBER	LEAKING COMPONENT	COMPONENT SOURCE	TYPE OF DAMAGE	SEVERITY OF DAMAGE	LOCATION OF LEAK	EVENT NUMBER
#1	14 15			<del></del>		21
#2	22 23					 29
#3	30 31		<del></del>			37
#4	38 39		· 	<del></del> -		<u>-</u> 45
#5	46 47				<u> </u>	53

### LEAKING COMPONENT

#### TANK AREA

- (11) MAIN FUEL TANK (INCLUDING VAPOR RECOVERY DOME)
- (12) AUXILIARY FUEL TANK
- (13) MAIN TANK FILLER TUBE
- (14) MAIN TANK CAP (GAS CAP)
- (15) AUXILIARY TANK FILLER TUBE
- (16) AUXILIARY TANK CAP (GAS CAP)
- (19) TANK AREA, DETAILS UNKNOWN

#### **DELIVERY SYSTEM**

- (21) FUEL FEED LINE (MAIN TANK TO FUEL PUMP)
- (22) FUEL FEED LINE (AUXILIARY TANK TO FUEL PUMP)
- (23) FUEL RETURN LINE (FUEL PUMP TO TANK)
- (24) INLINE FUEL FILTER
- (25) FUEL LINE (PUMP TO CARBURETOR OR INJECTOR PUMP)
- (26) CARBURETOR TO INJECTOR PUMP
- (27) FUEL PUMP
- (29) DELIVERY SYSTEM, DETAILS UNKNOWN

#### **EVAPORATIVE EMISSION CONTROL SYSTEM**

- (31) ATMOSPHERIC VENT PIPE (NON-EEC EQUIPPED)
- (32) EEC PIPE (VAPOR CANISTER TO CARBURETOR)

#### **EEC SYSTEM (CONTINUED)**

- (33) VAPOR RECOVERY HOSES (CANISTER TO CARBURETOR)
- (34) LIQUID-VAPOR SEPARATOR (UNLESS PART OF TANK)
- (35) CANISTER
- (39) EEC SYSTEM, DETAILS UNKNOWN
- (49) ENGINE COMPARTMENT, COMPONENT UNKNOWN
- (99) COMPONENT UNKNOWN

### I COMPONENT SOURCE

- (1) OEM
- (2) AFTER MARKET
- (9) UNKNOWN

### III TYPE OF DAMAGE

- (1) DENTED/CRUSHED
- (2) PUNCTURED
- (3) RUPTURED
- (4) SEVERED/GROSS TEARS
- (5) DISCONNECTED/DEFEATED
- (9) UNKNOWN

### IV SEVERITY OF DAMAGE

- (1) MINOR
- (2) MODERATE
- (3) SEVERE
- (4) DISCONNECTED/DEFEATED
- (9) UNKNOWN

# V LOCATION OF LEAK

FIRST DIGIT (LONGITUDINAL LOCATION)

- (1) F, FORWARD OF COWL
- (2) P, BETWEEN COWL & REAR BULKHEAD
- (3) B, BEHIND REAR BULKHEAD
- (4) Y, F, & P
- (5) Z, P, & B
- (6) D, DISTRIBUTED (F, P & B)
- (9) UNKNOWN

# SECOND DIGIT (LATERAL LOCATION)

- (1) L, LEFT
- (2) C, CENTER
- (3) R, RIGHT
- (4) Y, LEFT CENTER (L & C)
- (5) Z, RIGHT CENTER (R & C)
- (6) D, DISTRIBUTED (F, P & B)
- (9) UNKNOWN

Duplicate columns 1-8
from the previous card.

_	
_	
_	IH-
•	

FR-1

# WAS THERE FIRE IN OR ON CASE VEHICLE?

(0) NO SKIP PAGE.



(1) YES <u>COMPLETE</u> PAGE.

DID FIRE START IN CASE VEHICLE?  (0) NO (1) YES (9) UNKNOWN	14	SEVERITY OF FIRE DAMAGE  (1) MINOR (2) MODERATE (3) SEVERE (9) UNKNOWN	16
FLAME PROPOGATION RATE  (1) RAPID/EXPLOSIVE  (2) SLOW/MODERATE  (9) UNKNOWN	15	DID AN INJURY TO CASE VEHICLE OCCUPANT RESULT FROM FIRE IN OR ON CASE VEHICLE?  (0) NO (1) YES (9) UNKNOWN	17

PROVIDE NOTES IF FIRE OCCURRED.

Duplicate columns 1-8 Module E D Format from the previous card. 9 10	0 1 12	EXTERIOR DAMAGE	ED-1
Hood Performance		STEERING COL FLEXIBLE COUPLING	4
FOR THE FOLLOWING, USE CODES:		FLEXIBLE COUPLING TYPE	
(0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	0	(0) NONE (1) FLEXIBLE MATERIAL (2) POT (3) SINGLE U-JOINT (4) DOUBLE U-JOINT (5) FLEXIBLE CABLE (6) COMBINATION OF ABOVE (CIRCLE EACH) (7) OTHER:	9 26
HOOD LATCH <i>(ES)</i> RELEASED	13	(8) EQUIPPED, TYPE UNKNOWN (9) UNKNOWN, IF EQUIPPED	
-DAMAGED		COUPLINGDAMAGED	9
-JAMMED	<b>S</b> 15	(USE CODES FROM <u>HOOD</u>	9 27
HOOD HINGESLEFT, DAMAGED	<b>Q</b>	PERFORMANCE) -SEPARATED (COMPLETE)	<u>9</u> <sub>28</sub>
-LEFT, SEPARATED (COMPLETE			
-RIGHT, DAMAGED	Q	Eng Compart Telescoping Unit	
-RIGHT, SEPARATED (COMPLETE)	<u>8</u>	TYPE OF UNIT  (00) NONE INSTALLED  (01) - (07) SEE UNITS ON PAGE ED-2	<u>8 8</u>
HOOD REMAINED ON VEHICLE	20	(88) NOT COLLECTED (97) OTHER: (98) EQUIPPED, TYPE UNKNOWN (99) UNKNOWN IF EQUIPPED	29 30
REAR EDGE OF HOODELEVATED		ORIGINAL LENGTH (mm)	
-CONTACTED WINDSHIELD	22	F (OR H):	
-PENETRATED WINDSHIELD	<b>8</b> / <sub>23</sub>	TELESCOPED LENGTH (mm) G:	
HOOD LATCH LOCATION			
<ul><li>(1) FRONT OF VEHICLE</li><li>(2) COWL AREA</li><li>(3) SIDE</li><li>(8) NOT APPLICABLE</li><li>(9) UNKNOWN</li></ul>	24	DIFFERENCE (mm)  F (OR H) - G  (IF LESS THAN 15mm, ENTER *000*.)  (888) NOT COLLECTED	
ENGINE OR TRANSMISSION MOUNT SEPARATION (COMPLETE)  (0) NO (1) YES (9) UNKNOWN	<u></u>	(991) NOT MEASURED/NO COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 33

		Exterior Damage E	ED-2
LEFT-SIDE BODY MOUNT DID BODY MOUNT SEPARATE?  (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<b>8</b> 34	LEFT DOORS  HOW DID DOORS OPEN DURING COLLISION?  USE CODES:	
LEFT PILLARS  PILLARS SEPARATED COMPLETELY -  USE CODES:  (0) NO (1) YES (4) NO SEPARATION, BUT DAMAGED (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN	0	(0) DOOR DID NOT OPEN  OPENED BECAUSE OF  (1) HINGE AREA SEPARATION (2) DOOR-LATCH SEPARATION (3) LATCH-STRIKER SEPARATION (4) STRIKER-PILLAR SEPARATION (5) BODY DISTORTION (6) COMBINATION OF ABOVE (CIRCLE EACH) (7) OPENED, REASON UNKNOWN (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	
LOWER -B-PILLAR, UPPER	35 36 40 41	-FRONT -REAR	<b>2</b> 43 <b>8</b> 44
LOWER -C-PILLAR, UPPER	Ø	DOORS JAMMED CLOSED-  USE CODES:  (0) NO (1) YES (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	
LOWER	39 <del>Q</del> 40	-FRONT -REAR	Ø 45 8 46
-D-PILLAR, UPPER	₩ 41 ₩ 42		

(9) UNKNOWN

		EXTERIOR DAMAGE	ED-4
RIGHT-SIDE BODY MOUNT  DID BODY MOUNT SEPARATE?  (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>8</u>	RIGHT DOORS  HOW DID DOORS OPEN DURING COLLISION?  USE CODES:	
RIGHT PILLARS  PILLARS SEPARATED COMPLETELY -  USE CODES:  (0) NO (1) YES (4) NO SEPARATION, BUT DAMAGED (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN	/1	(00) DOOR DID NOT OPEN  OPENED BECAUSE OF  (01) HINGE AREA SEPARATION (02) DOOR-LATCH SEPARATION (03) LATCH-STRIKER SEPARATION (04) STRIKER-PILLAR SEPARATION (05) BODY DISTORTION (06) COMBINATION OF ABOVE (CIRCLE EACH) (07) OPENED, REASON UNKNOWN (11) VAN RIGHT-REAR DOOR OPENED (ANY MECHANISM)	
-A-PILLAR, UPPER LOWER -B-PILLAR, UPPER	55 4 56	(98) NOT APPLICABLE (NO DOOR) (99) UNKNOWN  removed  during from extraction  of occupant (s) -REAR	98 65 66
LOWER -C-PILLAR, UPPER	57 4 58 <b>Ø</b>	DOORS JAMMED CLOSED-  USE CODES:  (0) NO (1) YES (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	
LOWER -D-PILLAR, UPPER	59 <u>60</u> <u>8</u> 61	-FRONT -REAR	<b>8</b> 68
LOWER	61	VAN REAR DOOR TYPE  (0) VAN, NO REAR DOOR (1) TRACK (SLIDING) - RIGHT SIDE (2) SINGLE-HINGED - RIGHT SIDE (3) DOUBLE-HINGED - RIGHT SIDE (4) TRACK (SLIDING) - RIGHT & LEFT SIDE (5) SINGLE-HINGED - RIGHT & LEFT SIDE (6) DOUBLE-HINGED - RIGHT & LEFT SIDE (7) TRACK AND HINGED COMBINATION (8) NOT APPLICABLE (NOT A VAN) (9) UNKNOWN	<b>8</b> 69

		EXTERIOR DAMAGE	ED-5
WINDSHIELD DAMAGE  WINDSHIELD CRACKED  (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN  WINDSHIELD BROKEN (PLASTIC INTERLAYER TORN)  (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	$\frac{1}{70}$ $\frac{0}{71}$	WINDSHIELD MARK ON CASE VEHICLE  W Ford  C AR LITE  SOLAR TINT  LAMINATED AS-1	E:
CRACKED OR BROKEN BY OCCUPANT CONTACT  (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN  EXTENT OF BOND SEPARATION  (0) NONE (1) 1 - 20% (2) 21 - 40 (3) 41 - 60 (4) 61 - 80 (5) 81 - 99 (6) TOTAL (7) SEPARATED, AMOUNT UNKNOWN (8) NOT APPLICABLE (9) UNKNOWN	72	WINDSHIELD CODE  (97) DESCRIBED BUT NOT CODED (98) NOT APPLICABLE (NO WINDSHIELD) (99) UNKNOWN  ROOF  DID T-ROOF/SUN ROOF OPEN DURING COLLISION?  (0) NO (1) YES (8) NOT APPLICABLE (NOT A T-ROOF OR SUN ROOF) (9) UNKNOWN	97/74 77 74 77
LOCATE AREA OF WINDSHIELD I & HORIZONTAL) ON THIS DIAGE		R DAMAGE WITH DIMENSIONS (VERTICAL WINDSHIELD AS VIEWED FROM INSIDE.	

Duplicate columns 1-8 Module S C Format 0 11 from the previous card.	12	STEERING WHEEL AND COLUMN S	
STEERING WHEEL		STEERING WHEEL POSITION AT TIME OF COLLISION	
STEERING WHEEL RIM DAMAGE  (0) NONE (1) DEFORMED SLIGHTLY (2) SEVERELY BENT (3) BROKEN (9) UNKNOWN	<u>Ø</u>	IN WHAT O'CLOCK POSITION WAS THE NORMAL TOP OF THE WHEEL POINTED WHEN THE COLLISION OCCURRED?  EXAMPLES  O'CLOCK = 1 2 O'CLOCK = 9 2	مسع
NUMBER OF STEERING WHEEL SPOKES (9) UNKNOWN	4	(NORMAL STRAIGHT AHEAD) O'CLOCK -	
STEERING WHL SPOKE DAMAGE  (0) NONE (1) DEFORMED SLIGHTLY (2) SEVERELY BENT (3) BROKEN (9) UNKNOWN	15	STEERING WHEEL ENERGY ABSORBING DEVICE  (1) EXAMPLES:  BARRACUDA, 70 - 74  CHALLENGER, 70 - 74  CAPRI, 71 - 77	
STEERING COLUMN OPTIONS		(2) EXAMPLES:  OMNI, 78 -  HORIZON, 78 -	
TILT FEATURE  (0) NOT EQUIPPED (1) YES, EQUIPPED, UNK POSITION (2) UP (3) MIDDLE (4) LOWER (9) UNKNOWN IF EQUIPPED	16	TYPE OF DEVICE  (0) NONE (1) CONVOLUTED OR MESH CYLINDER (2) DEEP DISH STEERING WHEEL (7) OTHER: (8) NOT COLLECTED (9) UNKNOWN IF EQUIPPED	8
SWING-AWAY FEATURE  (0) NOT EQUIPPED (1) YES, EQUIPPED (9) UNKNOWN IF EQUIPPED	<u></u>	ORIGINAL DIMENSION (mm)  A:  DAMAGE DIMENSION (mm)  B:  DIFFERENCE (mm)	·
TELESCOPING FEATURE  (0) NOT EQUIPPED  (1) YES, EQUIPPED  (9) UNKNOWN IF EQUIPPED	20 18	A - B  (888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO MEASURE (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8

		STEERING WHEEL AND COLUMN	SC-2
STEERING COLUMN			T -
ENERGY ABSORBING DEVICE		STEERING WHEEL (CONTINUED)	
TYPE OF DEVICE * (IF 27 OR 28)		STEERING WHEEL HUB DAMAGE	
(00) NOT EQUIPPED (88) NOT COLLECTED (99) UNKNOWN	8 23 24	(0) NONE (1) OCCUPANT CONTACT (2) AIRBAG	<b>Q</b>
ORIGINAL LENGTH (mm)		(3) OTHER(9) UNKNOWN	
C:			
COMPRESSED LENGTH (mm)			
D:			
BRACKET DEFLECTION (IF CODE 36, 48, OR 49 ABOVE) OR			
COMPRESSION (OR EXTRUSION) (mm)		4 - 4	
C - D (OR E) (TOLERANCE: ±10)			
(888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8 27		
* (ADD A & B FOR TOTAL COMPRESSION)			
SHEAR CAPSULE SEPARATION (mm)			
S (USE AVG. OF LEFT & RIGHT CAPSULES.)			
LT:			
RT:			
(888) NOT COLLECTED			
(991) NOT MEASURED/NO APPARENT SEPARATION (992) SEPARATED, AMOUNT UNKNOWN (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8		
COLUMN VERTICAL ROTATION			
(0) NO APPARENT ROTATION (1) UPWARD APPARENT ROTATION (2) DOWNWARD APPARENT ROTATION (9) UNKNOWN	<b>₫</b>		
COLUMN LATERAL ROTATION			
(0) NO APPARENT ROTATION (1) LEFT APPARENT ROTATION (2) RIGHT APPARENT ROTATION (9) UNKNOWN	<u>©</u>		

							Intri	JSION	IT-1
					(All Measurements Are in	Centime	eters)		
Location Intrusion	n of on	Intrude	d Component	Compai Valu	rison Intruded e Value	=	Intrusion		Dominant Crush Direction
13		A-p	llar	64	- 54	=	10	to	left.
13			panel	جد	1 -56	=	4		4
13		ł	Side rail B-pillar Sidera.l		- 48	=	2		٠,
13		1			- 40	=	21		Ç
23		1			- 47	=	3		4
23		1	surface	64	- 35	=	29		4
13		door			itimated introion		31		4
						- =			
					_	=			
					<del></del>	=			
					_	=			
					_	=			
					_	=			
					_	=			
						=			
						=		1	
	Т		C	CCUPANT C	CONTACT WORKSHEE	ΞT			
Contact	Co	nterior mponent ontacted	Occupant No. if Known	Body Region if Known	Supporting P	hysica	ıl Evidence		Confidence Level of Contact Point
Α	D	or	3	hip	Itand hold brok	'en	off		
В	Do	or	2	Chot/Arm		ent			1
С									
D									
E									
F									
G									
Н									
1								1	
J									
32									

# CODES FOR COLUMN B, OCCUPANT SPACE NUMBER

OCCUPANT SPACE NUMBER IS A TWO-DIGIT CODE. THE USE OF THE CODE IS DETERMINED BY THE VEHICLE SEAT CONFIGURATION AT THE TIME OF THE ACCIDENT.

#### **FIRST DIGIT**

THE FIRST DIGIT (LEFT DIGIT) DENOTES THE SEAT ROW, WITH CODE VALUES FROM 1 TO 5.

#### SECOND DIGIT

THE SECOND DIGIT (RIGHT DIGIT) DENOTES THE POSITION ON THE SEAT AND, IN SOME INSTANCES, THE WIDTH OF THE SEAT.


(1)	LEFT	(3)	RIGHT	•••••		INDIVIDUAL SEAT
(1)	LEFT	(2)	CENTER	(3)	RIGHT	BENCH: FULL WIDTH 3 PASSENGER
(1)	LEFT		LEFT CENTER		RIGHT (3) RIGHT CENTER	BENCH: FULL WIDTH 4 PASSENGER
(1)	LEFT	(2)	CENTER	(5)	RIGHT & AISLE SPACE	BENCH: PARTIAL WIDTH, LEFT
	LEFT & SPACE	(2)	CENTER	(5)	RIGHT &SPACE	BENCH: PARTIAL WIDTH, CENTERED
(4)	ENTIRE V	/EHI	CLE WIDTH			CARGO AREA

#### **EXAMPLES**

THE TWO FIGURES BELOW PROVIDE EXAMPLES OF THE OCCUPANT SPACE NUMBER.



#### VAN 12 PASSENGER CAPACITY



# CODES FOR COLUMN F, MEASUREMENT AXIS

(X) X-AXIS (FORE & AFT)

(Y) Y-AXIS (LATERAL)

(Z) Z-AXIS (VERTICAL)

# CODES FOR COLUMNS G, H, I & J, OCCUPANT & INJURY NUMBERS

OCCUPANT NUMBER	INJURY NUMBER	CONTACT
(00) (##) (97) (99)	(00) (00) (99) (00) OR (99)	NO CONTACT CONTACT, NO INJURY CONTACT, OCCUPANT UNKNOWN, INJURY UNKNOWN UNKNOWN IF CONTACT

#### CODES FOR COLUMN C, INTRUDING COMPONENT OR OBJECT

#### NOTE: DO NOT CODE OBJECTS OTHER THAN COMPONENTS OF CASE VEHICLE.

#### INDIVIDUAL COMPONENT

#### INTERNAL

- (01) INSTRUMENT PANEL
- (02) FIRE WALL
- (03) TOE PAN (04) FLOOR PAN
- (05) STEERING COLUMN
- (06) WINDSHIELD
- (07) WINDSHIELD HEADER
- (08) A-PILLAR
- (09) DOOR PANEL OR SIDE PANEL
- (10) WINDOW FRAME
- (11) B-PILLAR
- (12) C-PILLAR
- (13) D-PILLAR
- (14) ROOF SIDE RAILS
- (15) ROOF OR CONVERTIBLE TOP
- (16) BACKLIGHT HEADER
- (17) FRONT SEAT-BACK SURFACE/ SEAT-BACK BACK SURFACE
- (18) SECOND SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (19) THIRD SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (20) FOURTH SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (21) FIFTH SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (22) BACK PANEL/BACK DOOR SURFACE
- (23) SEAT CUSHION SURFACE/EDGE
- (24) CONSOLE
- (25) OTHER (DESCRIBE)
- (26) UNKNOWN INTERNAL SURFACES
- (28) TRANSMISSION TUNNEL (HUMP)
- (29) SIDE FOOTWELL PANEL (KICKPANEL)
- (30) SILL

#### **EXTERNAL**

- (43) HOOD
- (44) OBJECT EXTERNAL TO PASSENGER COMPARTMENT BUT PART OF CASE VEHICLE
- (45) OUTSIDE SURFACE OF CASE VEHICLE
- (46) OTHER (E.G. SPARE TIRE, JACK. DESCRIBE.)
- (49) UNKNOWN EXTERNAL OBJECT

#### GROUPED FOR MASSIVE INTRUSION INTO AN OCCUPANT SPACE

#### USE ONLY IF <u>ALL</u> THESE COMPONENTS INTRUDED INTO A SINGLE OCCUPANT SPACE.

- (50)WINDSHIELD HEADER A-PILLAR ROOF SIDE RAIL
- (51)INSTRUMENT PANEL A-PILLAR DOOR PANEL
- (52)INSTRUMENT PANEL A-PILLAR WINDSHIELD HEADER
- (53)DOOR PANEL B-PILLAR ROOF RAIL
- (54)DOOR PANEL A-PILLAR ROOF RAIL
- (55)INSTRUMENT PANEL FLOOR PAN A-PILLAR DOOR FRAME
- (56)ROOF RAIL A-PILLAR B-PILLAR WINDOW FRAME
- (57)ROOF RAIL
  A-PILLAR
  B-PILLAR
  C-PILLAR
  DOOR PANEL
- (58)ROOF ROOF RAIL WINDOW FRAME DOOR PANEL
- (59)BACKLIGHT HEADER ROOF C-PILLAR THIRD SEAT-BACK

- (60)ROOF
  ROOF RAIL
  A-PILLAR
  B-PILLAR
  C-PILLAR
  WINDOW FRAME
  DOOR PANEL
  FLOOR PAN
- (61)INSTRUMENT PANEL TOE PAN WINDSHIELD HEADER A-PILLAR ROOF RAIL WINDOW FRAME DOOR PANEL ROOF
- (62)ROOF ROOF RAIL C-PILLAR WINDOW FRAME FLOOR PAN SECOND SEAT DOOR PANEL
- (63)ROOF RAIL ROOF B-PILLAR WINDOW FRAME FLOOR PAN DOOR PANEL SECOND SEAT FRONT SEAT
- (64)ROOF RAIL
  ROOF OR CONVERTIBLE TOP
  A-PILLAR
  B-PILLAR
  WINDOW FRAME
  WINDOW HEADER
- (65)WINDSHIELD WINDSHIELD HEADER ROOF SIDE RAIL
- (66)WINDSHIELD WINDSHIELD HEADER A-PILLAR

(98)NOT APPLICABLE

(99)UNKNOWN

	columns 1- previous car		9 T 9 10	Format <u>0</u>	1 12			INTF	RUSION	IT-5
(0) N	10 <u>DO NO</u>	UPANT COM	KT QUEST		-	V		ON CATAST COMPLETE PAI SKIP PAGE.	•	2)
(9) U	INKNOWN	<u>SKIP PAGE</u> .	<del></del>							
from the p	columns 1-l previous car	d.	9 10	11	12					
		ne table below					s 1 - 12 for eac	•		
	NTRUSIO	CODES	FOR B, F	NS IN THIS C F, G, H, I, J IN PAGE IT-4	ON PAGE I		ON ROW; FR	ONT TO BACI I CONTACT A		S.
A	В	С	D	E	F	G	н	l	J	к
INTRUSION NUMBER	OCC. SPACE NO.	INTRUDING COMPONENT OR OBJECT	ASSOC. EVENT NO.	MAXIMUM INTRUSION X AXIS (cm)	MAXIMUM INTRUSION Y AXIS (cm)	MAXIMUM INTRUSION Z AXIS (cm)	OCCUPANT NUMBER	INJURY NUMBER	OCCUPANT NUMBER	INJURY NUMBER
13-14	15-16	17-18	19	20-21	22-23	24-25	26-27	28-29	30-31	32-33
0 1	13	<u>@9</u>			39	QQ	<u> </u>	<u>Ø1</u>	02	<u></u> <u> </u> <u> </u>
0 2	13	17	1	$\underline{\boldsymbol{\Phi}}$	21	$\underline{\mathscr{O}}\underline{\mathscr{O}}$	Q Q	00	QQ	$     \underline{\Phi} \underline{\Phi} $
03	<u>L3</u>	<u>Ø8</u>	-	$\underline{\boldsymbol{\sigma}}$	$T\Phi$	$\mathcal{Q}\mathcal{Q}$	QQ	QQ	QQ	00
0 4	13	29	1	$\overline{0}$	04	QQ	QQ	$\underline{\mathscr{O}}$	00	<u>Ø</u> <u>Ø</u>
0 5	13	14	1	$\overline{\mathbf{\Phi}}$	<u>Ø</u> 3	$\underline{\sigma}\underline{\phi}$	$\underline{\mathcal{O}}\underline{\mathcal{O}}$	$\underline{\sigma}\underline{\sigma}$	<u>Ø</u> <u>Ø</u>	<u>Ø</u>
06	<u>23</u>	<u>22</u>	1	$\overline{\mathbb{Q}} \overline{\mathbb{Q}}$	39	$\underline{\Phi}\underline{\sigma}$	$\underline{\sigma}\underline{\sigma}$	QQ	QQ	00
<u>0 7</u> NOTE: US	23 E ADDITIONAL I	PAGE IF MORE TH	HAN 7 INTRO	$ \underline{0} $ $ \underline{0} $ Usions.	<u>Ø3</u>	QQ	QQ	QQ	00	<u>Ø</u> <u>Ø</u>
	columns 1-8 revious card		<u>  T</u> 9 10	Format 0	_3 12					
SKII	P REMAINDE			IF DA	MAGE TC	DOOR CO	OMPONENT E COMPON	RESULTE	D IN INCRE	ASED
	DOOR INT SULTED F			INTRU: NUMBE	SION	DAMAGED OMPONENT 1	DAM	AGED DNENT 2	CODES FOR COMPONE	ENTS
NUMBE	R CAUSE	CODES FOR CAUSE:		A	_		2		(0) NONE (1) A-PILLAR	
<u>W</u> \	<u> </u>	1) DIRECT		B	_			<del></del>	(2) B-PILLAR (3) C-PILLAR (4) LATCH/STR (5) HINGES	IKER
16		2) INDUCED DAMAGE 9) UNKNOWN		C 30 31	-	. —	3	3	(7) OTHER:	_
				D 34 35	-		3		(9) UNKNOWN	

Duplicate columns 1-8 from the previous card.

INTRUSION

IT-6

NOTE: Each line in the table below is a separate record (card).

Duplicate columns 1 - 12 for each completed line.

-- ADDITIONAL PAGE --

INTRUSIONS CODE INTRUSIONS IN THIS ORDER: LEFT TO RIGHT ON ROW; FRONT TO BACK IN VEHICLES.

CODES FOR B, F, G, H, I, J ON PAGE IT-3

CODES FOR C ON PAGE IT-4

OCCUPANT CONTACT AND INJURY

Α	В	C INTRUDING		E MAXIMUM	F MAXIMUM	G MAXIMUM	н	1	J	K
INTRUSION NUMBER	OCC. SPACE NO.	OR OBJECT	EVENT NO.	INTRUSION	INTRUSION Y AXIS (cm)	INTRUSION	OCCUPANT NUMBER	INJURY NUMBER	OCCUPANT NUMBER	INJURY NUMBE
13-14	15-16	17-18	19	20-21	22-23	24-25	26-27	28-29	30-31	32-33
0 8					· ·		<del></del>	<del>-</del>		
09	·					· <del></del>				
10					<del></del>	· · · · · · · · · · · · · · · · · · ·				
11			<del></del>			<del></del>				
1 2			_		<del></del> .		<del></del>	<del></del> .		
1 3					<del></del>		<del></del>			
1 4							<del></del>			
1 5				<del></del>	<del></del>					
16						<del></del>				
17										
18		<del></del>				<u> </u>				
19				<u> </u>						
20										
2 1			<del></del>							
22	· —						·		·	
23										
2 4		<del></del>	<del></del> .	<del></del>						
25		<del></del> .								

Duplicate columns 1-8 from the previous card.	Modu	le <u>I</u> <u>D</u> 9 10	Format <u>0 1</u>	IN	TERIOR DAMAGE ID	)-1
co	(1	) NO ) YES ) NO, and	OCCUPANT CONTACT	(4) YES, and C (8) NOT APPL (9) UNKNOWN	OCCUPANT CONTACT ICABLE I	-
SIDES FRONT DOOR FRONT HARDWARE FRONT ARMREST FRONT GLASS REAR DOOR AREA REAR HARDWARE REAR ARMREST REAR GLASS ROOF SIDE RAIL B-PILLAR C-PILLAR D-PILLAR HEADLINING ROOF STRUCTURE		YES NO, and RIGHT 4 14 18 20 28 24 28 38 36 38 38 38 38 38 38 38 38 38 38 38 38 38	FRONT FOOT CONTROLS IGNITION KEYS REAR VIEW MIRROR SUNVISOR/FITTINGS (5) LEFT SIDE ONLY (6) RIGHT SIDE ONLY (7) BOTH SIDES WINDSHIELD TOP MOLDINGS LEFT A-PILLAR (UPPER OR LOWER) RIGHT A-PILLAR (UPPER OR LOWER) CENTER CONSOLE TRANSMISSION SELECTOR LEVER RIM, HORN, SPOKE	(8) NOT APPL	ICABLE	1 55 1 56 Q 57 Q 58 Q 67 Q 68 Q 67
T-ROOF/SUN ROOF  OTHER: *	8 41 8 43	-   200   80   4			REAR WINDOW WINDOW HEADER  CONSOLES	69
					VERTICAL	8 7° C


<sup>\*</sup> MORE THAN ONE ITEM MAY BE NOTED.

Duplicate columns 1-8 Module S T from the previous card. 9 10		) <u>2</u> 1 12	SEATS	•	ST-1
FRONT SEAT TYPE OF FRONT SEAT	DRIVER	Passen'r	FRONT SEAT-BACK	DRIVER	PASSENIR
(00) NO SEAT (01) STANDARD BENCH (02) SPLIT BACK, 50-50 (03) SPLIT BACK, DRIVER WIDE (04) SPLIT BACK, PASS. WIDE (05) BUCKET (06) CAPTAIN'S CHAIR (07) INDIV. BENCH, 50-50 (08) INDIV. BENCH, DRIVER WIDE (09) INDIV. BENCH, PASS. WIDE (97) OTHER:	13 14	15 16	SEAT-BACK TYPE  (1) FORWARD FOLDING  (2) RIGID  (3) RECLINING  (7) OTHER:  (8) NOT APPLICABLE  (9) UNKNOWN  SEAT-BACK LOCK TYPE	30	31
(99) UNKNOWN  TYPE OF SEAT MOUNT (1) STANDARD (2) PEDESTAL (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	17	18	(0) NONE (1) MANUAL (2) INERTIA (3) POWER (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	32	33
SWIVEL MECHANISM EQUIPPED  (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN  ORIGINAL EQUIPMENT SEATS	19	20	LOCKS HELD (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	34	35
(0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN  CONTACT OF SEAT	21	22	RECLINER MECHANISM HELD (0) NO (1) YES	36	37
BY REAR OCCUPANT (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>Q</u>	<b>Q</b>	(8) NOT APPLICABLE (9) UNKNOWN	·	·
FRONT SEAT DAMAGE  (0) NONE (1) BACKREST ONLY DAMAGED (2) CUSHION ONLY DAMAGED (3) BACKREST & CUSHION DAMAGED (8) NOT APPLICABLE (9) UNKNOWN	25	3	HEAD RESTRAINT  HEAD RESTRAINT TYPE  (0) NONE  (1) ADJUSTABLE  (2) INTEGRAL  (3) NOT INTEGRAL, BUT  CANNOT BE REMOVED  (7) OTHER:  (8) NOT APPLICABLE	38	39
CENTER ARMREST DAMAGED (0) NO (1) YES (7) EQUIPPED, DAMAGE UNKNOWN (8) NOT APPLICABLE (NO CENTER ARMREST) (9) UNKNOWN IF EQUIPPED	<u>∑</u>	3	(9) UNKNOWN  REMOVED PRE-CRASH (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<b>Q</b>	<u>Q</u>
FRONT SEAT ROTATION	<i>(</i> )	Ø	ADJUSTMENT AT CRASH (1) UP (2) DOWN (8) NOT APPLICABLE (9) UNKNOWN	2	3
(0) NONE APPARENT (1) FORWARD APPARENT (2) REARWARD APPARENT (3) LEFT APPARENT (4) RIGHT APPARENT (5) MULTIPLE ROTATIONS SPECIFY (8) NOT APPLICABLE (9) UNKNOWN	28	29	HEAD RESTRAINT DAMAGE  (0) NONE (1) DAMAGED BUT NOT SEPARATED (2) SEPARATED (8) NOT APPLICABLE (9) UNKNOWN	<u>\D</u>	<u>Ø</u>


			Se	ATS S	ST-2
FRONT SEAT ADJUSTMENT SEAT ADJUSTMENT TYPE  (0) NONE (RIGID) (1) MANUAL (2) POWER (7) OTHER: (8) NOT APPLICABLE (NO SEAT) (9) UNKNOWN  ADJUSTMENT PROVIDED  (1) 2-WAY	Driver 46	PASSEN'R	SECOND SEAT (CONT.)  CENTER ARMREST DAMAGED  (0) NO (1) YES (7) EQUIPPED, DAMAGE UNKNOWN (8) NOT APPLICABLE (NO CENTER ARMREST) (9) UNKNOWN IF EQUIPPED	6	<u>3</u>
(2) 4-WAY (3) 6-WAY (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN  SEAT ADJUSTER DAMAGE (0) NONE (1) CHUCKING (FREE PLAY) (2) DEFORMED (RELEASED/JAMMED) (3) SEPARATED (7) OTHER: (8) NOT APPLICABLE	48	49	SECOND SEAT-BACK  LOCKS  FOR THE FOLLOWING, USE:  (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	LEFT	Яіднт
(9) UNKNOWN  SEAT ADJUSTER SEPARATION (0) NONE (1) SEPARATED AT FLOOR (2) SEPARATION OF ADJUSTER (3) SEPARATED AT SEAT (8) NOT APPLICABLE (9) UNKNOWN  PRE-CRASH POSITION  (1) FORWARD (2) MIDDLE (3) REARWARD (8) NOT APPLICABLE	<u>S</u>	<b>Q</b> 53 55	LEFT OR CENTER, EQUIPPED  LEFT OR CENTER, HELD  (3) SEAT FOLDED DOWN  RIGHT, EQUIPPED  * SEAT TESTICAL  RIGHT, HELD by Intrusion  (3) SEAT FOLDED DOWN	() (s) (s) (s) (s) (s) (s) (s) (s) (s) (	
(9) UNKNOWN  SECOND SEAT  TYPE OF SECOND SEAT  (0) NONE (1) NON-FOLDING (2) FOLDING (3) CAPTAIN'S CHAIR (4) JUMP SEAT	LEFT S6	RIGHT	THIRD SEAT  EQUIPPED  BACKREST DAMAGED  CUSHION DAMAGED	89 71 93 73	70 8 72 72 74
(5) INTEGRAL CHILD SEAT (6) LUGGAGE AREA ACCESS PANEL (9) UNKNOWN  SECOND SEAT DAMAGE (0) NONE (1) BACKREST ONLY (DAMAGED OR LOOSENED) (2) CUSHION ONLY - (DAMAGED OR LOOSENED) (3) BACKREST & CUSHION (DAMAGED OR LOOSENED) (4) INTEGRAL CHILD SEAT (PRIORITY CODE) (5) LUGGAGE AREA ACCESS PANEL (DAMAGED OR LOOSENED) (8) NOT APPLICABLE (9) UNKNOWN	58	<u>3</u>	VEHICLE EQUIPPED WITH REAR HEAD RESTRAINTS  (0) NOT EQUIPPED (OR REMOVED) (1) EQUIPPED (2) EQUIPPED & DAMAGED (8) NOT APPLICABLE (NO REAR SEAT) (9) UNKNOWN  Applies to any rear-seat position	4	<u>)</u>

Duplicate columns 1-8 from the previous card.  Module A B Format C 9 10 11	1 12	AIRBAG /	AB-1
DRIVER SIDE LOCATION OF AIRBAG STEERING WHEEL		PASSENGER SIDE LOCATION OF AIRBAG INSTRUMENT PANEL (GLOVE BOX)	
EQUIPPED  (0) NO (1) YES (4) PRIOR DEPLOYMENT NOT REINSTALLED (9) UNKNOWN IF AIRBAG EQUIPPED	13	EQUIPPED  (0) NO (1) YES (4) PRIOR DEPLOYMENT NOT REINSTALLED (9) UNKNOWN IF AIRBAG EQUIPPED	16
DEPLOYED  (0) NO (1) YES (2) PARTIAL/IMPROPER DEPLOYMENT (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	14	DEPLOYED  (0) NO (1) YES (2) PARTIAL/IMPROPER DEPLOYMENT (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	17
CONDITION OF AIRBAG STEERING WHEEL  (0) NO DAMAGE (2) SPLIT OR TORN (3) CUT DURING CRASH (4) BURNED/MELTED (5) CUT POST CRASH (6) OTHER (7) DAMAGED, CONDITION UNKNOWN (8) NOT APPLICABLE (NOT EQUIPPEDNOT DEPLOYED) (9) UNKNOWN IF EQUIPPED OR CONDITION	15	CONDITION OF AIRBAG INSTRUMENT PANEL (GLOVE BOX)  (0) NO DAMAGE (2) SPLIT OR TORN (3) CUT DURING CRASH (4) BURNED/MELTED (5) CUT POST CRASH (6) OTHER Per Crash Vols from (4) (7) DAMAGED, CONDITION UNKNOWN (8) NOT APPLICABLE (NOT EQUIPPED/NOT DEPLOYED) (9) UNKNOWN IF EQUIPPED OR CONDITION	<u>6</u> 18
DRIVER SIDE  AIRBAG  STEERING WHEEL  TETHER  (0) NO (1) YES (6) OTHER (7) UNKNOWN IF TETHERED (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN IF AIRBAG EQUIPPED	<b>Q</b>	PASSENGER SIDE  AIRBAG INSTRUMENT PANEL (GLOVE BOX)  TETHER  (0) NO (1) YES (6) OTHER (7) UNKNOWN IF TETHERED (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN IF AIRBAG EQUIPPED	Q a
MARKED BY CONTACT  (0) NO (1) YES (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	<u>Ø</u>	MARKED BY CONTACT  (0) NO (1) YES (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	<u>C</u>


# AIRBAG NUMBER ON DRIVER SIDE:




NOTE AND DESCRIBE ANY AIRBAG CONTACT OR DAMAGE ON DIAGRAM BELOW:



# AIRBAG NUMBER ON PASSENGER SIDE:



NOTE AND DESCRIBE ANY AIRBAG CONTACT OR DAMAGE ON DIAGRAM BELOW:



#### **NOTE TO THE INVESTIGATOR:**

THE FOLLOWING TWO SECTIONS,
OCCUPANT INFORMATION AND INJURY CLASSIFICATION,
ARE TO BE FILLED IN
FOR EACH CASE VEHICLE OCCUPANT,
WHETHER INJURED OR NOT.


IF THERE IS MORE THAN ONE OCCUPANT,
USE ADDITIONAL COPIES
OF PAGES OC-1, OC-2, OC-3,
AND IC-2 TO DESCRIBE THEM
AND ATTACH THE COPIES TO THIS REPORT.


Duplicate columns 1-8 Module O C Format 0 11 11	2 12	Occupant Information (	OC-1
OCCUPANT IDENTIFICATION OCCUPANT NUMBER  ROLE OF OCCUPANT AT 1ST IMPACT  (1) MOTOR VEHICLE DRIVER (2) MOTOR VEHICLE PASSENGER (NOT DRIVER) (9) UNKNOWN	<u>O</u> 1 13 14 15	PHYSICAL DESCRIPTION  AGE IN YEARS  (00) LESS THAN 1 YEAR  (98) 98 YEARS OR OLDER  (99) UNKNOWN  AGE IN MONTHS  (00) LESS THAN 1 MONTH  (25) 25 MONTHS OR OLDER  (99) UNKNOWN	25 20 21 25 22 23
OCCUPANT POSITION  ROW LOCATION  (1) FRONT (2) SECOND (3) THIRD (4) FOURTH (7) OTHER: (8) EXTERNAL TO PASSENGER COMPARTMENT (E.G. BED OF PICKUP) (9) UNKNOWN	16	MASS (kg) (999) UNKNOWN  HEIGHT (cm) (999) UNKNOWN  SEX (1) MALE (2) FEMALE (9) UNKNOWN	268 24 25 28 170 27 28 29
	17	MEDICAL CONDITIONS  TREATMENT/MORTALITY  (00) NONE  (01) FIRST AID AT SCENE (02) TREATED AT HOSPITAL/CLINIC BUT NOT ADMITTED  (03) HOSPITALIZED FOR OBSERVATION LESS THAN 24 HOURS (04) HOSPITALIZED OVER 24 HOURS OR FOR SIGNIFICANT TREATMENT (05) FATAL, DEAD AT SCENE (06) FATAL, DOA (07) FATAL, DEAD WITHIN 24 HOURS (08) FATAL, DEAD WITHIN 24 HOURS (08) FATAL, DEAD 24 HOURS TO 31 DAYS LATER (19) FATAL, DEAD 31 DAYS TO 1 YEAR LATER (10) FATAL DEAD WITHIN UNKNOWN PERIOD (99) UNKNOWN  INJURY SEVERITY SCORE (ISS)  (99) UNKNOWN  NON-IMPACT MED. CONDITIONS (0) NONE (1) YES, TIME & TYPE UNKNOWN (2) PRE-CRASH FATAL (CLINICAL DEATH AT WHEEL) (3) PRE-CRASH FATAL (CLINICAL DEATH AT WHEEL) (4) PREGNANT (5) POST-CRASH FATAL (DROWNING) (6) POST-CRASH FATAL (DROWNING) (7) OTHER: (8) COMBINATION OF ABOVE (CIRCLE EACH) (9) UNKNOWN	$ \begin{array}{c c} \bigcirc \mathbf{\lambda} \\ \hline 31 & 32 \end{array} $ $ \begin{array}{c c} \bigcirc \mathbf{I} \\ 33 & 34 \end{array} $ $ \begin{array}{c c} \bigcirc \\ 35 \end{array} $

		Occupant Information	OC-2
MEDICAL CONDITIONS (CONT.)  POLICE INJURY SEVERITY CODE FOR THIS OCCUPANT  (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO IMPACT	2 36	CHILD SEAT TYPE  (00) NONE USED (01) YES, USED (02) INTEGRAL, Chrysler Mini-van (88) NOT APPLICABLE (ADULT OR OLDER CHILD) (99) UNKNOWN  CHILD SEAT MAKE/MODEL	8 8 41
(7) NON-FATAL INJURY, SEVERITY UNKNOWN (9) UNKNOWN  RESTRAINT SYSTEM			
(0) NONE (1) LAP BELT (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (9) UNKNOWN  ACTIVE RESTRAINT SYSTEM USAGE  (0) NONE (AVAILABLE BUT NOT USED) (1) LAP BELT ONLY (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (7) IMPROPER USAGE (8) NOT APPLICABLE (NONE AVAILABLE) (9) UNKNOWN  PASSIVE RESTRAINT SYSTEM  (0) NONE (1) AIRBAG INSTALLED (2) PASSIVE UPPER TORSO WITH KNEE BOLSTERS (3) PASSIVE UPPER TORSO WITHOUT KNEE BOLSTERS (4) PASSIVE LAP & UPPER TORSO (5) AIRBAG INSTALLED & PASSIVE RESTRAINT (7) OTHER: (9) UNKNOWN	3/37	EJECTION  DEGREE OF EJECTION  (0) NONE (1) PARTIAL (2) COMPLETE (7) EJECTED, DEGREE UNKNOWN (9) UNKNOWN IF EJECTED  AREA OF EJECTION  (01) WINDOW, LEFT SIDE (02) WINDOW, RIGHT SIDE (03) WINDOW, REAR (04) DOOR, LEFT SIDE (05) DOOR, RIGHT SIDE (06) DOOR, REAR OR TAILGATE (07) WINDSHIELD (08) ROOF OR OPEN CONVERTIBLE OR FROM EXTERNAL AREA (96) EJECTED AREA UNKNOWN (97) OTHER AREA: (98) NOT APPLICABLE (NOT EJECTED) (99) UNKNOWN IF EJECTED	<u>O</u> 49
PASSIVE RESTRAINT SYSTEM USAGE  (0) SYSTEM DEFEATED (1) AIRBAG NOT DEPLOYED (2) AIRBAG DEPLOYED (3) AIRBAG NOT REINSTALLED (4) PASSIVE UPPER TORSO USED (5) PASSIVE LAP & UPPER TORSO USED (6) SYSTEM USED IN MANUAL MODE (7) IMPROPER USAGE (8) NOT APPLICABLE (NOT ORIGINALLY EQUIPPED) (9) UNKNOWN	2,	HEAD RESTRAINT HEAD RESTRAINT AVAILABLE FOR THIS POSITION  (0) NOT EQUIPPED OR REMOVED (1) EQUIPPED (9) UNKNOWN	1 46

		OCCUPANT INFORMATION	OC-3
OCCUPANT EYEWEAR  (0) NONE (1) GLASSES (2) CONTACTS (3) BOTH GLASSES AND CONTACTS (4) OTHER (8) NOT APPLICABLE (9) UNKNOWN	<u>Ø</u>	SOURCE OF INFORMATION  (0) INTERVIEW (1) HOSPITAL (2) AUTOPSY (3) POLICE (4) OTHER (5) LAY CORONER/EXTERNAL EXAM (7) COMBINATION OF ABOVE (CIRCLE) (8) NOT APPLICABLE	48

# INDICATE LOCATION OF INJURIES.





INJURY CLASSIFICATION IC-1

Duplicate columns 1-8 from the previous card.

NOTE: Each line in the table below is a separate record (card).

Duplicate columns 1 - 12 for each completed line.


# OCCUPANT INJURY CLASSIFICATION

						PRIM	IARY (	OIC		A	SSOC	IATE	OIC		COM	MENTS
OCCUPANT NUMBER	INJURY NUMBER	PROBAL START I IN 1ST C	BILITY (HO WITH MOS CONTACT /	S IN ORDER OF RIZONTALLY) . T PROBABLE AREA COLUMN. IBLE CONTACT	BODY REGION 1	ASPECT Q	LESION 3	SYSTEM/ORGAN 4	SEVERITY 10	BODY REGION 1	ASPECT O	LESION 3	SYSTEMORGAN 4	SEVERITY 15		
13-14	15-16	17-18	19-20	COMMENTS	21	22	23	24	25	26	27	28	29	30		
QI	<u>Ø1</u>	38		own right hand	F	L	<u>C</u>	I	1					_		
<b>†</b>	<u>Ø</u> 2	34			<u>C</u>	L	<u>C</u>	Ī	1				_			
	<u>03</u>	32		RF passenger	A	R	<u>_</u>	I	1			_		_	,	
	04	32		RF passenger			<u>C</u>	I	1							
							_				_				,	
					_						<del>-</del>				·	
	<del></del>				_	_	_					. —				
the.	<del></del>				_				_	_	_		_			
for eac						_		_		_		_		_		
"Occupant Number" for each line.					_	_	_				_	_	-			
ccupant			<del></del>								_		_			
					_								_	-		
— Duplica					_		_	_	_	_	-					
					_	_	_	_		_				_		
					_		_		-			_		_		
						_		_	_	_						
						_		_	_	_		_		<u> </u>		
							_		_				_			

# CODES FOR AREAS OF POSSIBLE OCCUPANT CONTACT

	SOPEO I ON AIREAS OF FOSSIB	LE OCCUPAN	II CONTACT
FRONT	OF PASSENGER COMPARTMENT	SIDES	
(10)	SUNVISOR, FITTING(S) &/OR TOP MOLDING	(20)	SURFACE OF SIDE INTERIOR
(12)	WINDSHIELD	(19)	· - · ·
		(13)	
(05)	INSTRUMENT PANEL (SPECIFIC AREA UNKNOWN)	(24)	COAT HOOK
(54)		(24)	COATTOOK
(55)		(22)	WINDOW GLASS (SIDE)
(56)		(21)	
(81)	· • • • • • • • • • • • • • • • • • • •	(21)	WINDOW FRAMES (SIDE)
(02)	· · · · · · · · · · · · · · · · · · ·	(06)	POOF SIDE DAIL
(47)		(26)	· ·
(,	The process of the control of the co	(14)	
(57)	BENEATH INSTRUMENT PANEL	(15)	
(53)	PARCEL TRAY		C-PILLAR
(48)		(17)	D-PILLAR
(86)	VERTICAL CONSOLE	FLOOR	CARRY OF STREET
(00)	V 2.1110/12 0 0 110022		T 00D
(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)	(40)	FLOOR
(20)	1 001 0011110E0 (INOE. 1711INING BITARE FEDAL)	į (27)	CONSOLE ON FLOOR OR BETWEEN SEATS
(09)	STEERING ASSEMBLY (SPECIFIC AREA UNKNOWN)	(44)	TRANSMISSION LEVER ON FLOOR OR CONSOLE
(65)	STEERING WHEEL	(85)	
(66)	STEERING WHEEL COLUMN	(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)
(59)	TRANSMISSION LEVER ON COLUMN	(91)	KICKPANEL
(33)	THAMSMISSION LEVEN ON COLUMN	D	
(03)	HARDWARE ITEM (SPECIFIC AREA UNKNOWN)	Roof	
(03)		(25)	
(82)	INSTRUMENT(S)	(10)	, , , , , , , , , , , , , , , , , , , ,
(83)	CONTROL KNOB(S) & LEVER(S) (FRONT)	(26)	ROOF SIDE RAIL
(84)	PARKING BRAKE HANDLE IN FRONT	(24)	COAT HOOK
(67)	IGNITION KEY	(18)	DOME LIGHT
(06)	MIRROR	(39)	BACKLIGHT HEADER
(04)	HEATER OR AIR CONDITIONING DUCTS	(68)	ROOF MOUNTED CONTROLS/CONSOLE
(01)	AIR CONDITIONING OR VENTILATION OUTLET(S)	(69)	ROLL BAR
(08)	RADIO (BUILT IN)		
(58)	ADD-ON TAPE DECK, RADIO, A/C		R SURFACE OF CASE VEHICLE
(68)	ROOF MOUNTED CONTROLS/CONSOLES	(37)	OUTSIDE SURFACE OF CASE VEHICLE
_			(SPECIFIC AREA UNKNOWN)
REAR		(35)	HOOD OF CASE VEHICLE
(88)	SURFACE OF REAR INTERIOR	(60)	EXTERIOR OF CASE VEHICLE (E.G.
(23)	REAR WINDOW	, ,	OUTSIDE MIRRORS, ANTENNA, TRIM)
	REAR WINDOW HEADER	(62)	EXTERIOR SIDE ROOF RAIL OF CASE VEHICLE
(50)	REAR SEAT CUSHION & BACK	(63)	TRUNK LID OF CASE VEHICLE
		(64)	TIRES OF CASE VEHICLE
	R-GENERAL	(/	THE STATE OF
(11)	TRANSMISSION SELECTION LEVER (LOCATION UNK.)	BEYOND	CASE VEHICLE BOUNDARY
(59)	TRANSMISSION LEVER ON STEERING COLUMN	(36)	AREA EXTERIOR TO CAR (SPECIFIC AREA UNK.)
(44)	TRANSMISSION LEVER ON FLOOR OR CONSOLE	(70)	HOOD OF OTHER VEHICLE
(07)	PARKING BRAKE HANDLE (LOCATION UNKNOWN)	(71)	OTHER VEHICLE EXTERIOR HARDWARE (E.G.
(84)	PARKING BRAKE HANDLE IN FRONT	(7.7)	OUTSIDE MIRRORS, ANTENNA, TRIM)
(85)	PARKING BRAKE HANDLE ON FLOOR OR CONSOLE	(73)	EXTERIOR SIDE ROOF RAIL OF OTHER VEHICLE
(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)	(74)	PEADLIGHT OF EBONT OF UTHER VEHICLE
	· · · · · · · · · · · · · · · · · · ·	(74) (75)	HEADLIGHT OR FRONT GRILL OF OTHER VEH. TRUNK OF OTHER VEHICLE
(29)	FRONT SEAT-BACK(S)	i	
(51)	FRONT SEAT CUSHION	(76) (77)	OUTSIDE SURFACE OF OTHER VEHICLE
	REAR SEAT CUSHION & BACK	(77) (78)	TIRES OF OTHER VEHICLE GROUND
(49)	ARMREST ON SEAT	(78)	
(89)	UNDER SEAT BOTTOM	(79)	WATER
(00)	ONDER GENT BOTTOM	(80)	EXTERIOR OBJECT (NOT VEHICLE, GROUND,
(33)	RESTRAINT SYSTEM HARDWARE		OR WATER. PLEASE DESCRIBE.)
1	RESTRAINT SYSTEM WEBBING	<b>D</b>	
(34) (87)	AIR CUSHION SKIN (AIRBAG)		ATING OBJECTS
(47)	AIRBAG (ACRS) COMPARTMENT DOOR/COVER		OTHER VEHICLE
	AIRBAG GAS	(72)	OBJECTS (DESCRIBE)
	KNEE RESTRAINT	MISCELLA	
	HEAD RESTRAINT		NO CONTACT (INVALID FIELD FORM CODE)
	CHILD SEAT RESTRAINTS	(38)	OTHER (E.G. FIRE. DESCRIBE)
	CHILD SEAT		SPARE TIRE
	INTERIOR LOOSE OBJECT		INDUCED
	OTHER OCCUPANT(S)	(97)	EJECTED, UNKNOWN CONTACT
	INTERNAL FLYING GLASS (FROM ANY SOURCE)	(98)	IMPACT FORCE, "WHIPLASH",
(41)	UNKNOWN INTERIOR SURFACE		HYPEREXTENSION/COMPRESSION

(99) UNKNOWN AREA OF CONTACT



# CODES FOR OCCUPANT INJURY CLASSIFICATION (OIC)

### 1 BODY REGION

- (H) HEAD/SKULL
- (F) FACE
- (N) NECK
- (S) SHOULDER
- (X) UPPER EXTREMITIES
- (A) ARM (UPPER)
- (E) ELBOW
- (R) FOREARM
- (W) WRIST/HAND
- (C) CHEST
- (M) ABDOMEN
- (B) BACK
- (P) PELVIC/HIP
- (Y) LOWER EXTREMITIES
- (T) THIGH
- (K) KNEE
- (L) LEG (LOWER)
- (Q) ANKLE/FOOT
- (O) WHOLE BODY
- (U) UNKNOWN

# 3 LESION

- (L) LACERATION
- (C) CONTUSION
- (A) ABRASION
- (F) FRACTURE
- (P) PERFORATION, PUNCTURE
- (K) CONCUSSION
- (V) AVULSION
- (R) RUPTURE
- (S) SPRAIN
- (D) DISLOCATION
- (N) CRUSH
- (M) AMPUTATION
- (B) BURN
- (G) DETACHMENT, SEPARATION
- (Z) FRACTURE AND DISLOCATION
- (T) STRAIN
- (E) TOTAL SEVERANCE, TRANSECTION
- (O) OTHER
- (U) UNKNOWN

## 4 SYSTEM/ORGAN

- (S) SKELETAL
- (V) VERTEBRAE
- (J) JOINTS
- (D) DIGESTIVE
- (L) LIVER
- (N) NERVOUS SYSTEM
- (B) BRAIN
- (C) SPINAL CORD
- (E) EARS
- (O) EYES
- (A) ARTERIES
- (H) HEART
- (Q) SPLEEN
- (G) UROGENITAL
- (K) KIDNEYS
- (R) RESPIRATORY
- (P) PULMONARY/LUNGS
- (M) MUSCLES
- (T) THYROID, OTHER ENDOCRINE GLAND
- (I) INTEGUMENTARY (SKIN)
- (W) ALL SYSTEMS IN REGION
- (U) UNKNOWN

# 2 ASPECT

- (R) RIGHT
- (L) LEFT
- (B) BILATERAL
- (C) CENTRAL
- (A) ANTERIOR/FRONT
- (P) POSTERIOR/BACK
- (S) SUPERIOR/UPPER
- (I) INFERIOR/LOWER
- (W) WHOLE REGION
- (U) UNKNOWN

# SEVERITY 5 SYSTEM/ORGAN 4 LESION 9 ASPECT 0 BODY REGION 1

### 5 SEVERITY (OR "AIS", ABBREVIATED INJURY SCALE)

- (0) NONE
- (1) MINOR
- (2) MODERATE
- (3) SERIOUS
- (4) SEVERE
- (5) CRITICAL
- (6) MAXIMUM
- (9) UNKNOWN

Duplicate columns 1-8 Module O C Format 0 11 11 11 11 11 11 11 11 11 11 11 11 1	2 12	OCCUPANT INFORMATION	OC-1
OCCUPANT IDENTIFICATION		Physical Description	
	Man !	I HISICAL DESCRIPTION	
OCCUPANT NUMBER	$ \Psi  $	AGE IN YEARS	100
	13 14	(00) LESS THAN 1 YEAR	X
ROLE OF OCCUPANT AT 1ST IMPACT		(98) 98 YEARS OR OLDER	20 2
The second secon	7	(99) UNKNOWN	İ
(1) MOTOR VEHICLE DRIVER	3	AGE IN MONTHS	1 ~ 6
(2) MOTOR VEHICLE PASSENGER	15	(00) LESS THAN 1 MONTH	ねら
(NOT DRIVER) (9) UNKNOWN		(25) 25 MONTHS OR OLDER	22 2
		(99) UNKNOWN	ļ
		MASS (kg)	
OCCUPANT POSITION		(999) UNKNOWN	07
		(999) 0141/1401414	24 25
ROW LOCATION		UEIOUT ( )	1 20
		HEIGHT (cm)	
(1) FRONT		(999) UNKNOWN	1/8
(2) SECOND (3) THIRD	16		27 28
(4) FOURTH		SEX	
(7) OTHER:		(1) MALE	
(8) EXTERNAL TO PASSENGER		(2) FEMALE	30
COMPARTMENT (E.G. BED OF PICKUP) (9) UNKNOWN		(9) UNKNOWN	
•	1	Manage	-
LATERAL LOCATION		MEDICAL CONDITIONS	
	5	TREATMENT/MORTALITY	
(1) LEFT		(00) NONE	$\Box \mathcal{O}^{c}$
(2) LEFT CENTER (3) CENTER	17	(01) FIRST AID AT SCENE	31 ;
(4) RIGHT CENTER		(02) TREATED AT HOSPITAL/CLINIC BUT NOT ADMITTED	1
(5) RIGHT		(03) HOSPITALIZED FOR OBSERVATION	
(6) ALL <i>(LYING ON SEAT)</i> (8) EXTERNAL TO PASSENGER		LESS THAN 24 HOURS	
COMPARTMENT		(04) HOSPITALIZED OVER 24 HOURS	
(9) UNKNOWN		OR FOR SIGNIFICANT TREATMENT (05) FATAL, DEAD AT SCENE	
		(06) FATAL, DOA	
POSTURE		(07) FATAL, DEAD WITHIN 24 HOURS	
	1	(08) FATAL, DEAD 24 HOURS TO 31 DAYS LATER	
(10) SITTING ON SEAT	ι <u>ω</u>	(09) FATAL, DEAD 31 DAYS TO	
(11) SITTING ON SEAT IN ABNORMAL POSITION (E.G. FEET ON DASH,	18 19	1 YEAR LATER	
SIDEWAYS)		(10) FATAL DEAD WITHIN UNKNOWN PERIOD	
(12) SITTING ON CONSOLE		(99) UNKNOWN	
(20) ON LAP OR IN ARMS (30) STANDING ON SEAT		•	
(40) STANDING ON FLOOR		INJURY SEVERITY SCORE (ISS)	
(47) STANDING, EXTERNAL TO		(99) UNKNOWN	135
PASSENGER COMPARTMENT		feet engagesta	33
(50) IN BASSINET (60) IN CHILD SEAT		NON IMPACT MED. COMPTENDE	3
(65) IN CHILD HARNESS	l	NON-IMPACT MED. CONDITIONS (0) NONE	
(70) LYING ON SEAT	j	(1) YES, TIME & TYPE UNKNOWN	$+ (T_1)^2$
(80) LYING/SITTING ON PASSENGER FLOOR	İ	(2) PRE-CRASH FATAL (CLINICAL	35
(83) LYING/SITTING ON OTHER	İ	DEATH AT WHEEL)	
OBJECT IN PASSENGER	į	(3) PRE-CRASH NON-FATAL (E.G. PRIOR INJURY, STROKE)	
COMPARTMENT:		(4) PREGNANT	
SEAT-BACK		(5) POST-CRASH FATAL (DROWNING)	
(87) LYING/SITTING, EXTERNAL TO		(6) POST-CRASH NON-FATAL INJURY (7) OTHER:	i
PASSENGER COMPARTMENT (97) OTHER:		(8) COMBINATION OF ABOVE	
15/1 L J GC 61'		(0)501555	1
(99) UNKNOWN	1	(CIRCLE EACH) (9) UNKNOWN	i

MEDICAL CONDITIONS (CONT.)		CHILD SEAT TYPE	
POLICE INJURY SEVERITY CODE FOR THIS OCCUPANT		(00) NONE USED (01) YES, USED (02) INTEGRAL, Chrysler Mini-van	2
(0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING (3) A - INCAPACITATING INJURY	3	(88) NOT APPLICABLE (ADULT OR OLDER CHILD) (99) UNKNOWN  CHILD SEAT MAKE/MODEL	
(4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO IMPACT (7) NON-FATAL INJURY, SEVERITY UNKNOWN			
(9) UNKNOWN			
RESTRAINT SYSTEM			
ACTIVE RESTRAINT SYSTEM		EJECTION	$\vdash$
(0) NONE (1) LAP BELT (2) SHOULDER HARNESS ONLY	3	DEGREE OF EJECTION	
(3) BOTH LAP BELT & SHOULDER HARNESS (9) UNKNOWN	37	(0) NONE (1) PARTIAL (2) COMPLETE (7) EJECTED, DEGREE UNKNOWN	
ACTIVE RESTRAINT SYSTEM USAGE	_	(9) UNKNOWN IF EJECTED  AREA OF EJECTION	
(0) NONE (AVAILABLE BUT NOT USED) (1) LAP BELT ONLY (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT &	3 38	(01) WINDOW, LEFT SIDE (02) WINDOW, RIGHT SIDE (03) WINDOW, REAR	4
SHOULDER HARNESS (7) IMPROPER USAGE (8) NOT APPLICABLE (NONE AVAILABLE) (9) UNKNOWN		(04) DOOR, LEFT SIDE (05) DOOR, RIGHT SIDE (06) DOOR, REAR OR TAILGATE (07) WINDSHIELD (08) ROOF OR OPEN CONVERTIBLE OR	
PASSIVE RESTRAINT SYSTEM		FROM EXTERNAL AREA (96) EJECTED AREA UNKNOWN (97) OTHER AREA:	
(0) NONE (1) AIRBAG INSTALLED (2) PASSIVE UPPER TORSO WITH KNEE BOLSTERS	1 30	(98) NOT APPLICABLE (NOT EJECTED) (99) UNKNOWN IF EJECTED	
(3) PASSIVE UPPER TORSO WITHOUT KNEE BOLSTERS (4) PASSIVE LAP & UPPER TORSO (5) AIRBAG INSTALLED & PASSIVE RESTRAINT	•	IF OCCUPANT WAS EJECTED, DESCRIBE IN DETAIL BELOW:	
(7) OTHER:(9) UNKNOWN			_
PASSIVE RESTRAINT SYSTEM USAGE			-
(0) SYSTEM DEFEATED (1) AIRBAG NOT DEPLOYED (2) AIRBAG DEPLOYED (3) AIRBAG NOT REINSTALLED (4) PASSIVE UPPER TORSO USED	2/40		-
(5) PASSIVE LAP & UPPER TORSO USED (6) SYSTEM USED IN MANUAL MODE		HEAD RESTRAINT	
(7) IMPROPER USAGE (8) NOT APPLICABLE (NOT ORIGINALLY EQUIPPED)		HEAD RESTRAINT AVAILABLE FOR THIS POSITION	
(9) UNKNOWN		(0) NOT EQUIPPED OR REMOVED (1) EQUIPPED (9) UNKNOWN	

# OCCUPANT INFORMATION OC-3 SOURCE OF INFORMATION (2) AUTOPSY (3) POLICE


#### **OCCUPANT EYEWEAR**

- (0) NONE
  (1) GLASSES
  (2) CONTACTS
  (3) BOTH GLASSES AND CONTACTS
  (4) OTHER
  (B) NOT APPLICABLE
  (9) UNKNOWN

(0) INTERVIEW (1) HOSPITAL

- (4) OTHER
- (5) LAY CORONER/EXTERNAL EXAM
  (7) COMBINATION OF ABOVE (CIRCLE)
  (8) NOT APPLICABLE
  (9) UNKNOWN

#### INDICATE LOCATION OF INJURIES.



INJURY CLASSIFICATION IC-1

Duplicate columns 1-8 from the previous card.

NOTE: Each line in the table below is a separate record (card).

Duplicate columns 1 - 12 for each completed line.

# OCCUPANT INJURY CLASSIFICATION

PLACE CONTACTS IN CRIDER OF PROCABILITY MONTH MUST PROCABLE IN 1817 CONTACT AREA COLUMN. AREA(S) OF POSSIBLE CONTACT 12 3 4 5 1 2 3 3 4 5 1 2 3 3 4 1 3 1 3 1 2 1 3 1 3 1 3 1 3 1 3 1 3 1 3							PRIM	IARY (	OIC		A	SSOC	IATE	OIC		COMMENTS
QQ Q1 76	OCCUPANT NUMBER	INJURY NUMBER	PROBAB START V IN 1ST C	BILITY (HOF VITH MOST CONTACT A OF POSSIE	RIZONTALLY). PROBABLE REA COLUMN.	1	ASPECT N	LESION 33	SYSTEMORGAN 4			ASPECT Q	LESION 33	SYSTEMORGAN 4		
Q2 76	13-14	15-16	17-18	19-20	COMMENTS	21	22	23	24	25	26	27	28	29	30	
03 76	<b>Q</b> 5	$\Phi$ 1	76			H	I	Ç	B	5	_	_	_	_	_	
PREII   PRESO   PRESI   PRES	1	02	76			H	I	<u>_</u>	B	5			_			
PREII   PRESO   PRESI   PRES		<i>Ø</i> 3	76		•	H	U	C	B	3						
Q5 76						H	$\overline{R}$	L			_				_	
06       13			٠,,		×	-					_		_	_	_	
07 13					•					_	_		_		_	
O <sub>8</sub> 91						L	_		,	_	_		_	_	_	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		07	13			P	_	_			_	_	_	<u>.</u>	_	
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$		<u>Ø8</u>	91			1	R	F	<u>S</u>	3	_		_	_		
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	ech line	09	76			F	R	<u>C</u>	$\bar{\mathcal{I}}$	1	_					
		10	aφ			S	R			1					_	
	A Numb	11								1	_	_	_	_	_	
	couper	13				l				1		_	_	. —	_	
										1	_	_	_	_		
	- Dupl	T5	12				K	<u>_</u>		7	_	-	. <b>—</b> `		_	
						_	•	-	_	_		_		_	_	
		- -				_	_	_	_							
						-  -		_ <del>_</del>	_ <b>_</b>							
						_	_			_	_	_			-	
								_	_	-	_	-	÷	_	_	·
								<u>-</u>	-			_	_	_		


Duplicate columns 1-8 from the previous card.  Module O C Format 9 10	0 2	OCCUPANT INFORMATION	OC-1
Occupant Identification		Puvojoni Droopinii	
OCCUPANT NUMBER	03	PHYSICAL DESCRIPTION	
COOCI AITI NOMBEN	13 14	AGE IN YEARS	20
ROLE OF OCCUPANT AT 1ST IMPACT		(00) LESS THAN 1 YEAR (98) 98 YEARS OR OLDER	20 2
		(99) UNKNOWN	20 2
(1) MOTOR VEHICLE DRIVER (2) MOTOR VEHICLE PASSENGER	15	AGE IN MONTHS	10-
(NOT DRIVER) (9) UNKNOWN	15	(00) LESS THAN 1 MONTH (25) 25 MONTHS OR OLDER	国
(9) 014/14/04/14		(99) UNKNOWN	22 2
		MASS (kg)	
OCCUPANT POSITION		(999) UNKNOWN	00
		(200)	24 25
ROW LOCATION		HEIGHT (cm)	
(1) FRONT	3	(999) UNKNOWN	10
(2) SECOND (3) THIRD	16	(000) 014(4044)4	18
(4) FOURTH (7) OTHER:		SEX	,
(8) EXTERNAL TO PASSENGER		(1) MALE	1 1
COMPARTMENT (E.G. BED OF PICKUP) (9) UNKNOWN		(2) FEMALE (9) UNKNOWN	30
(c) commont	1 1		
LATERAL LOCATION		MEDICAL CONDITIONS	
(1) LEFT	5	TREATMENT/MORTALITY	0-
(2) LEFT CENTER	17	(00) NONE (01) FIRST AID AT SCENE	00
(3) CENTER (4) RIGHT CENTER		(02) TREATED AT HOSPITAL/CLINIC	31 3
(5) RIGHT (6) ALL <i>(LYING ON SEAT)</i>		BUT NOT ADMITTED (03) HOSPITALIZED FOR OBSERVATION	
(8) EXTERNAL TO PASSENGER		LESS THAN 24 HOURS	
COMPARTMENT (9) UNKNOWN		(04) HOSPITALIZED OVER 24 HOURS OR FOR SIGNIFICANT TREATMENT	-
.,		(05) FATAL, DEAD AT SCENE (06) FATAL, DOA	
POSTURE		(07) FATAL, DEAD WITHIN 24 HOURS	
(10) SITTING ON SEAT	10	(08) FATAL, DEAD 24 HOURS TO 31 DAYS LATER	
(11) SITTING ON SEAT IN ABNORMAL	18 19	(09) FATAL, DEAD 31 DAYS TO	
POSITION (E.G. FEET ON DASH, SIDEWAYS)		1 YEAR LATER (10) FATAL DEAD WITHIN UNKNOWN	
(12) SITTING ON CONSOLE	1	PERIOD (99) UNKNOWN	
(20) ON LAP OR IN ARMS (30) STANDING ON SEAT	1		
(40) STANDING ON FLOOR (47) STANDING, EXTERNAL TO	ļ	INJURY SEVERITY SCORE (ISS)	M
PASSENGER COMPARTMENT	į	(99) UNKNOWN	$ \mathcal{Q} $
(50) IN BASSINET (60) IN CHILD SEAT	1	NON INDAOT ASTR	33 3
(65) IN CHILD HARNESS (70) LYING ON SEAT		NON-IMPACT MED. CONDITIONS (0) NONE	
(80) LYING/SITTING ON PASSENGER		(1) YES, TIME & TYPE UNKNOWN	Ø
FLOOR (83) LYING/SITTING ON OTHER		(2) PRE-CRASH FATAL (CLINICAL DEATH AT WHEEL)	35
OBJECT IN PASSENGER COMPARTMENT:		(3) PRE-CRASH NON-FATAL (E.G. PRIOR INJURY, STROKE)	
(85) ON CARGO FLOOR/FOLDED		(4) PREGNANT	
SEAT-BACK (87) LYING/SITTING, EXTERNAL TO	1	(5) POST-CRASH FATAL (DROWNING) (6) POST-CRASH NON-FATAL INJURY	
PASSENGER COMPARTMENT		(7) OTHER:	
(97) OTHER:		(CIRCLE EACH)	
	ı	(9) UNKNOWN	1

		OCCUPANT INFORMATION (	DC-2
MEDICAL CONDITIONS (CONT.)  POLICE INJURY SEVERITY CODE FOR THIS OCCUPANT  (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO IMPACT (7) NON-FATAL INJURY, SEVERITY UNKNOWN (9) UNKNOWN	2/36	CHILD SEAT TYPE  (00) NONE USED (01) YES, USED (02) INTEGRAL, Chrysler Mini-van (88) NOT APPLICABLE (ADULT OR OLDER CHILD) (99) UNKNOWN  CHILD SEAT MAKE/MODEL	8 2
RESTRAINT SYSTEM			
(0) NONE (1) LAP BELT (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (9) UNKNOWN  ACTIVE RESTRAINT SYSTEM USAGE  (0) NONE (AVAILABLE BUT NOT USED) (1) LAP BELT ONLY (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (7) IMPROPER USAGE (8) NOT APPLICABLE (NONE AVAILABLE) (9) UNKNOWN  PASSIVE RESTRAINT SYSTEM  (0) NONE (1) AIRBAG INSTALLED (2) PASSIVE UPPER TORSO WITH KNEE BOLSTERS (3) PASSIVE UPPER TORSO WITHOUT KNEE BOLSTERS (4) PASSIVE LAP & UPPER TORSO (5) AIRBAG INSTALLED & PASSIVE RESTRAINT (7) OTHER: (9) UNKNOWN	3/ <sub>37</sub>	EJECTION  DEGREE OF EJECTION  (0) NONE (1) PARTIAL (2) COMPLETE (7) EJECTED, DEGREE UNKNOWN (9) UNKNOWN IF EJECTED  AREA OF EJECTION  (01) WINDOW, LEFT SIDE (02) WINDOW, RIGHT SIDE (03) WINDOW, REAR (04) DOOR, LEFT SIDE (05) DOOR, RIGHT SIDE (06) DOOR, REAR OR TAILGATE (07) WINDSHIELD (08) ROOF OR OPEN CONVERTIBLE OR FROM EXTERNAL AREA (96) EJECTED AREA UNKNOWN (97) OTHER AREA: (98) NOT APPLICABLE (NOT EJECTED) (99) UNKNOWN IF EJECTED	9845
(0) SYSTEM DEFEATED (1) AIRBAG NOT DEPLOYED (2) AIRBAG DEPLOYED (3) AIRBAG NOT REINSTALLED (4) PASSIVE UPPER TORSO USED (5) PASSIVE LAP & UPPER TORSO USED (6) SYSTEM USED IN MANUAL MODE (7) IMPROPER USAGE (8) NOT APPLICABLE (NOT ORIGINALLY EQUIPPED) (9) UNKNOWN	8 40	HEAD RESTRAINT HEAD RESTRAINT AVAILABLE FOR THIS POSITION  (0) NOT EQUIPPED OR REMOVED (1) EQUIPPED (9) UNKNOWN	<b>Q</b>

		OCCUPANT INFORMATION	OC-3
OCCUPANT EYEWEAR  (0) NONE (1) GLASSES (2) CONTACTS (3) BOTH GLASSES AND CONTACTS (4) OTHER (8) NOT APPLICABLE (9) UNKNOWN	<b>Q</b>	SOURCE OF INFORMATION  (0) INTERVIEW (1) HOSPITAL (2) AUTOPSY (3) POLICE (4) OTHER (5) LAY CORONER/EXTERNAL EXAM (7) COMBINATION OF ABOVE (CIRCLE) (8) NOT APPLICABLE (9) UNKNOWN	48

# OCCUPANT INFORMATION OC-4

# INDICATE LOCATION OF INJURIES.



Duplicate columns 1-8 from the previous card.

Module I C Format 0 1 12

Injury Classification IC-1

NOTE: Each line in the table below is a separate record (card).

Duplicate columns 1 - 12 for each completed line.

# OCCUPANT INJURY CLASSIFICATION

						PRIM	IARY (	OIC		А	ssoc	IATE	OIC		COMMEN	TS
OCCUPANT NUMBER	INJURY NUMBER	PROBA START IN 1ST	BILITY (HO WITH MOS CONTACT /	S IN ORDER OF RIZONTALLY) . I PROBABLE REA COLUMN. BLE CONTACT	BODY REGION 1	ASPECT Q	LESION 33	SYSTEMORGAN 4	SEVERITY 15	BODY REGION 1	ASPECT Q	LESION 33	SYSTEMORGAN &	SEVERTY W		
13-14	15-16	17-18	19-20	COMMENTS	21	22	23	24	25	26	27	28	29	30		
<u>Ø3</u>	<b>Q</b> 1	30			M	R	E	<u>S</u>	2	_	_			-		
Ī					-		_	_		_	_	_		-		
				·	-	_	_	_	_	_		<u> </u>	_			
			<del></del>	<b>N</b>	_	_		_		_			_			
					-		_	_		_	_			-		
	. <b>— —</b>				_		_	<del>_</del> ,	<del>-</del>	_	_	_		-		
					-		_	_		_	_	_		-	•	
ige.					<u> </u>	_	_	_	_		_	_	_	-		
foreach					_	_	_	_	_	_	_	_		-		
e "Occupant Number" for each line					_;	_	_	_		_	-	_	_	-	·	
Occupant						_			-		_		-	-	44.	
Duplicate "C						_		_	-	_		_		-		
<b>3</b>					_		<del>-</del>	_	-	_	<del>-</del> .	_`		-		
					_	_		_	-	_				-		
					_		_	_	-	<del></del>		_	_	-		
					_		_	_	-	_	_		_	-		
						_		_		_		<u> </u>	_	-	•	
1 '		<u> </u>				_	_	_	-	_		_	_	-		























117800#1



17800#12





17800 #14











PN 17800 #19



17800#20

















t Available











































7800#49













## CASE NO. 178-88 CASE VEHICLE 2989 Fore

CCEPATT (Brown) 20-year-old mile

TATURE COLong Kir, Ting MADE 88 kg (100 kg
RESTRANTS Spoint back work; sirking deployeel

RESTRANTS - MAGE - 1 (00 - 1)







## DN 17000 #5

CASE NO. 179-90 CASE VEHICLE 2006 Famil COOLFANT physic years of year-old make
ETYTOPE ME are plots to 100 to 10

